


OX[®]

THE OX BOOK
VERSION 21



**TOUGH. DYNAMIC. DIFFERENT.
SINCE 1974**



Our story

OX Group is a world leading manufacturer of hand tools, diamond tools, workwear and safety products.

Developed and proven in Australia over the past 46 years, our tools are recognised as tough, dynamic and different across the globe.

As a manufacturer of professional tools we sell direct to the merchants, providing them with excellent service: innovative merchandising solutions and a very powerful brand.

 **The Tools**
AWARDS 2019

WINNER

VOTED HAND TOOL BRAND OF THE YEAR 2016, 2017, 2018 & 2019

FOLLOW US...

-  OXtoolsUK
-  OXtoolsUK
-  oxttoolsuk
-  OX Tools Global

Issue date: July 2020

Subject to availability and OX Tools UK Ltd terms & conditions of sale. E & OE.

Contents



Measuring Tools
pages 06-08



Layout Tools
pages 09-14



Woodworking Tools
pages 15-19



Bricklaying Tools
pages 20-27



Plastering & Dry Lining Tools
pages 28-42



Concreting Tools
pages 43-47



Tiling Tools
pages 48-51



Striking Tools
pages 52-57



Cutting Tools
pages 58-65



Demolition Tools
pages 66-71



Plumbing & Electrical Tools
pages 72-82



Site Tools & Accessories
pages 83-88



Workwear
pages 90-102



Hygiene Equipment
pages 103-104



Safety / PPE
pages 105-127



TCT Blades
pages 128-1335



Diamond Blades
pages 136-148



Dry Core Drills
pages 152-156



World leading technology...



Look at the detail of the products – the strength and thickness of the steel, the perfect weight & balance, the positioning of the handles – guaranteed better than the rest!



Packed with innovation the phenomenal OX tools raise the benchmark for tool performance to unprecedented new levels.



The materials and construction are of the highest quality to stand up to an unbelievable amount of force.

Only heavy use can really demonstrate the power and resistance of these tools.



visit oxtools.com to find out more



OX ENERGY DRINK – 250ML

Look out for OX energy drinks in your local builders merchants!

Product Code	Size	Order Qty	Box Qty	
OX-ED1	250ML	24	24	

24
BOX





PRO HEAVY DUTY TAPE MEASURE – 5M & 8M



FEATURES

- Extra tough nylon coated 32mm wide blade – 2.8M stand out
- Class II & CE approved
- Heavy duty construction
- Easy slide thumb lock

Product Code	Size	Order Qty	Box Qty
OX-P028905	5M METRIC ONLY	1	6
OX-P028705	5M METRIC/ IMPERIAL	1	6
OX-P028708	8M METRIC/ IMPERIAL	1	6

PRO TAPE MEASURE – 5M & 8M



FEATURES

- Chrome case with over mould for heavy duty use
- Cushion grip for comfort and slip resistant hold
- Extra tough nylon coated steel 27mm wide blade
- 2.8M Stand out
- Big end hook & easy access thumb lock
- Class II & CE Approved

Product Code	Size	Order Qty	Box Qty
OX-P020905	5M / 16FT	1	8
OX-P020908	8M / 26FT	1	8

PRO DUAL AUTO LOCK TAPE MEASURE – 3M, 5M & 8M



FEATURES

- Double sided tape measurements
- Patented dual locking mechanism
- Robust rubber casing to withstand knocks and drops
- Super compact ergonomic shell
- Handy belt clip for quick clip to tool belt
- Extruded nylon blade for longer life and greater stand out

Product Code	Size	Order Qty	Box Qty
OX-P505203	3M / 10FT	1	12
OX-P505205	5M / 16FT	1	6
OX-P505208	8M / 26FT	1	6



TRADE TAPE MEASURE – 3M, 5M & 8M

FEATURES

- Duragrip moulded rubber case
- Nylon coated steel 25mm wide blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip



12
BOX

Product Code	Size	Order Qty	Box Qty
OX-T020605	5M / 16FT	12	12
OX-T020608	8M / 26FT	12	12
OX-T029103	3M METRIC ONLY	12	12
OX-T029105	5M METRIC ONLY	12	12
OX-T029108	8M METRIC ONLY	12	12

TRADE TAPE MEASURE – 10M

FEATURES

- Duragrip moulded rubber case
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip
- 25mm wide blade



6
BOX

Product Code	Size	Order Qty	Box Qty
OX-T500810	10M	6	6

TRADE CLOSED REEL TAPE MEASURE – 30M / 100FT

FEATURES

- Long wearing fibreglass tape
- Quick winding mechanism
- Hi-impact ABS plastic case
- 13mm wide blade



Product Code	Size	Order Qty	Box Qty
OX-T023603	30M / 100FT	1	5



TRADE OPEN REEL TAPE MEASURE VARIOUS SIZES



FEATURES

- Durable fibreglass tape
- Rubber grip handle
- Hi-impact case
- 13mm wide blade

Product Code	Size	Order Qty	Box Qty
OX-T023503	30M / 100FT	1	5
OX-T023505	50M / 165FT	1	5
OX-T023510	100M / 330FT	1	5

PRO CLOSED REEL TAPE MEASURE – 30M / 100FT



FEATURES

- Professional 3:1 geared closed reel 30m tape
- Shock & impact proof rubber casing
- Double nylon coated fibreglass blade

Product Code	Size	Order Qty	Box Qty
OX-P028330	30M / 100FT	1	6

PRO OPEN REEL TAPE MEASURE VARIOUS SIZES

FEATURES

- Professional 3:1 geared open reel tape available in 30 & 50m length
- Ergonomic soft grip handle and heavy duty casing
- Double nylon coated fibreglass blade

Product Code	Size	Order Qty	Box Qty
OX-P028230	30M / 100FT	1	1
OX-P028250	50M / 165FT	1	1





PRO LASER LEVEL

FEATURES

- Self levelling green cross line laser with an extremely tough shock proof rubber casing
- Working Range: 30meter /60 meter with detector
- Level Accuracy:±0.2mm/m
- Self-Levelling Range: 3°
- Power: 3 x 1.5 V LR6 (AA)
- Laser Class: 2



Product Code	Size	Order Qty	Box Qty
OX-P502901	-	1	4



SCAN THE QR TO LEARN MORE





PRO LEVEL VARIOUS SIZES

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps

Product Code	Size	Order Qty	Box Qty
OX-P024406	600mm	1	4
OX-P024409	900mm	1	4
OX-P024412	1200mm	1	4
OX-P024418	1800mm	1	4
OX-P024420	2000mm	1	4



Magnetic version (of above)

Product Code	Size	Order Qty	Box Qty
OX-P024306	600mm	1	4
OX-P024312	1200mm	1	4

PRO LEVEL SET

FEATURES

- As above
- Set includes 600, 1200 & 1800mm levels and 3 pocket zipped case

Product Code	Size	Order Qty	Box Qty
OX-P028603	see above	1	4





PRO LEVEL BAG

FEATURES

- Tough construction for ultimate durability
- Strong grip handle and shoulder strap
- Holds 600, 1200 & 1800mm levels
- 3 Zipped cases



Product Code	Size	Order Qty	Box Qty
OX-P027501	1850mm	1	4

TRADE STUBBY LEVEL - 100MM

FEATURES

- Shockproof solid acrylic vial
- Lightweight aluminium box profile fits easily into your tool belt or pocket
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005"/")




Product Code	Size	Order Qty	Box Qty
OX-T502801	100mm	1	10

TRADE LEVEL SET - 4 PACK

FEATURES

- Includes: 600, 1200 & 1800mm Trade Level (as above) & Trade 230mm Torpedo Level (OX-T026323)



Product Code	Size	Order Qty	Box Qty
OX-T500404	see above	1	4



TRADE LEVEL VARIOUS SIZES

FEATURES

- 3 solid acrylic vials with accuracy of .5mm/m or .0005in/in
- UV resistant vials
- Milled surface on base up to 1200mm length
- Shock absorbing rubber end caps
- Lifetime vial warranty
- Strong, lightweight aluminium profile
- Available in 600, 900, 1200 and 1800mm

Product Code	Size	Order Qty	Box Qty
OX-T500206	600mm	1	4
OX-T500209	900mm	1	4
OX-T500212	1200mm	1	4
OX-T500218	1800mm	1	4



PRO HEAVY DUTY TORPEDO LEVEL

FEATURES

- The toughest torpedo level in the world!
- Tilted horizontal vial for direct view of bubble
- 3 Unbreakable acrylic shock-proof vials
- Accuracy <0.0005"/" (0.5mm/m)
- 25mm Thick profile – extremely strong construction
- Fine milled surface with V-groove



Product Code	Size	Order Qty	Box Qty
OX-P027210	250mm	1	4



PRO TORPEDO LEVEL

FEATURES

- Die-cast aluminium body
- 3 Solid block vials
- Fine milled surface with V-groove
- Rare earth magnets for strong grip to metal surface
- Accuracy <0.0005" / " (0.5mm/m)

SCAN THE QR TO LEARN MORE



Product Code	Size	Order Qty	Box Qty
OX-P027625	230mm	1	10



TRADE TORPEDO LEVEL – 230MM

FEATURES

- 3 easy to read vials (horizontal, vertical, 45 degrees)
- Magnetic V-groove for pipe work and scaffolding
- Tough rubber end caps



20
BOX

Product Code	Size	Order Qty	Box Qty
OX-T026323	230mm	20	20

PRO MAGNETIC COMBINATION SQUARE

FEATURES

- Unique magnetic lock adjustment for easy movement of the steel rule



Product Code	Size	Order Qty	Box Qty
OX-P504530	305mm / 12"	1	4

PRO COMBINATION SQUARE

FEATURES

- High quality cast and machined sliding stock
- Stainless steel rule engraved with both imperial & metric graduations
- Can mark 90° and 45° with adjustable depth for repetition marking & scribing




Product Code	Size	Order Qty	Box Qty
OX-P025630	305mm / 12"	1	30

PRO CARPENTERS SQUARE & ANGLE INDICATOR

FEATURES

- Unique support ledge
- High-impact polymer handle
- Permanently etched stainless steel blade
- 22.5°, 45°, 67.5° and 90° angle indicators



Product Code	Size	Order Qty	Box Qty
OX-P503030	305MM / 12"	1	4



PRO HEAVY DUTY CHALK LINE REEL

FEATURES

- 5:1 Gear ratio for fast rewind
- Twisted polyester string for strength and durability

Product Code	Size	Order Qty	Box Qty
OX-P027730	30M / 100FT	1	4



TRADE HEAVY DUTY CHALK LINE REEL

FEATURES

- Dual use – can be used as plumb bob
- High impact cast metal body
- Stainless-steel hook

Product Code	Size	Order Qty	Box Qty
OX-T020830	30M / 100FT	1	12

PRO CHALK POWDER – 8OZ / 226G

FEATURES

- Powder formulated for good adhesion and high visibility
- For both interior & exterior use
- For use with chalk lines
- Easy pour, refillable bottle

Product Code	Size	Order Qty	Box Qty
OX-P025701	Red/8oz (226g)	6	6
OX-P025702	Blue/8oz (226g)	6	6
OX-P025703	Yellow/8oz (226g)	6	6
OX-P025704	White/8oz (226g)	6	6





PRO HEAVY DUTY BAR CLAMP

FEATURES

- Very heavy duty construction for durability
- High clamping force – 150kg
- Quick change conversion from clamp to spreader
- TPR Jaw pads protect surfaces from damage



Product Code	Size	Order Qty	Box Qty
OX-P201206	6" / 150mm	1	10
OX-P201212	12" / 300mm	1	10
OX-P201218	18" / 450mm	1	10
OX-P201224	24" / 600mm	1	10
OX-P201236	36" / 900mm	1	10



PRO SOLID STEEL DOOR CLAMP

FEATURES

- Solid steel, fully welded
- Holds door during; attaching hinges, routing, hanging, rebating
- Comfortable soft grip handles
- Felt covered jaws for protection against door damage
- Fits all doors – from 18mm 'built in' doors to 65mm 'fire rated' doors

Product Code	Size/Description	Order Qty	Box Qty
OX-P200101	49cm x 30cm	1	3



PRO WOOD CHISEL SET - 3 PC

FEATURES

- 3pc wood chisel set
- Includes sizes - 13mm, 19mm & 25mm
- Forged steel core - superior strength & durability
- High quality hardened steel blade giving sustained performance and edge retention
- Packaged in a high quality velcro case

Product Code	Size	Order Qty	Box Qty
OX-P371203	(see above)	1	4





PRO WOOD CHISEL SET - 5 PC



FEATURES

- 5Pc wood chisel set
- Sizes - 6, 10, 16, 19 & 25mm
- Packaged in a high quality velcro case
- Forged steel core - superior strength & durability
- Split-proof acetate handle designed tough to last
- Extra large strike cap to withstand hammer strikes & can be hit from multiple angles
- High quality hardened steel blade giving sustained performance and edge retention

Product Code	Size	Order Qty	Box Qty	
OX-P371005	(see above)	1	4	

PRO WOOD CHISEL



FEATURES

- Forged steel core - superior strength & durability
- Split-proof acetate handle designed tough to last
- Extra large strike cap to withstand hammer strikes & can be hit from multiple angles
- High quality hardened steel blade giving sustained performance and edge retention

Product Code	Size	Order Qty	Box Qty	
OX-P371106	6mm / 1/4"	1	6	
OX-P371110	10mm / 3/8"	1	6	
OX-P371113	13mm / 1/2"	1	6	
OX-P371116	16mm / 5/8"	1	6	
OX-P371119	19mm / 3/4"	1	6	
OX-P371122	22mm / 7/8"	1	6	
OX-P371125	25mm / 1"	1	6	
OX-P371132	32mm / 1-1/4"	1	6	
OX-P371138	38mm / 1-1/2"	1	6	



TRADE CARPENTER'S PENCILS – 10PK

FEATURES

- 10 Carpenters pencils with FREE sharpener included
- Comfort grip and easy to hold
- Medium lead (Red) or Hard lead (Green) available

Product Code	Size/Description	Order Qty	Box Qty
OX-T022910	10 Pack Medium (Red)	12	12
OX-T023010	10 Pack Hard (Green)	12	12



PRO SHARPDRAW CARPENTER'S PENCIL

FEATURES

- Unique retractable carpenters pencil
- 9mm Graphite blade always sharp for accurate marking
- Wooden grip
- Easily extend and retract the graphite marking blade

Product Code	Size	Order Qty	Box Qty
OX-P500601	-	1	12



PRO SHARPDRAW PENCIL BLADE

FEATURES

- Snap off replaceable pencil blades for the sharpdraw carpenters pencil
- 9mm Graphite blade always sharp for accurate marking
- Snap off blade means sharpening is never needed
- These blades will fit most 9mm snap off knives
- Pack of 3 blades

Product Code	Size	Order Qty	Box Qty
OX-P500703	-	1	12





PRO TOUGH SCREWDRIVER SET WITH HARD CASE - 7PC



FEATURES

- Pro series 7pc set
- Chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles
- Robust, heavy duty case
- Set includes: Flared 6.5 x 150mm, Parallel 3.5 x 75mm & 5.5 x 125mm, Phillips PH1 x 100mm, PH2 x 125mm, Pozi PZ1 x 100mm, PZ2 x 125mm

Product Code	Size	Order Qty	Box Qty
OX-P360207	7 piece set	1	5



PRO SCREWDRIVER SET - 7PC




FEATURES

- High quality screwdrivers with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles & magnetic tips
- Set includes:
Flared 5.5 x 100mm, 6.5 x 100mm Parallel 4 x 100mm, Phillips PH1 x 75mm, PH2 x 100mm, Pozi PZ1 x 100mm, PZ2 x 125mm
- Supplied in cardboard display case

Product Code	Size	Order Qty	Box Qty
OX-P363107	7 Piece Set	1	8



PRO SCREWDRIVER VARIOUS SIZES



FEATURES

- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles & magnetic tips

Product Code	Size	Order Qty	Box Qty
OX-P362275	Slotted Flared 75x4mm	1	12
OX-P362210	Slotted Flared 100x5.5mm	1	12
OX-P362212	Slotted Flared 125x6.5mm	1	12
OX-P362215	Slotted Flared 150x8mm	1	12
OX-P362220	Slotted Flared 200x10mm	1	12
OX-P362225	Slotted Flared 250x10mm	1	12
OX-P362338	Slotted Flared Stubby 6.5x38mm	1	12
OX-P362410	Slotted Parallel 100x4mm	1	12
OX-P362415	Slotted Parallel 150x5.5mm	1	12
OX-P362420	Slotted Parallel 200x5.5mm	1	12
OX-P362425	Slotted Parallel 250x6.5mm	1	12
OX-P362575	Phillips PH1 x 75mm	1	12
OX-P362510	Phillips PH2 x 100mm	1	12
OX-P362515	Phillips PH2 x 150mm	1	12
OX-P362675	Pozi PZ0x75mm	1	12
OX-P362710	Pozi PZ1x100mm	1	12
OX-P362725	Pozi PZ1x250mm	1	12
OX-P362812	Pozi PZ2x125mm	1	12
OX-P362825	Pozi PZ2x250mm	1	12
OX-P362915	Pozi PZ3x150mm	1	12
OX-P363020	Pozi PZ4x200mm	1	12

PRO MULTIBIT RATCHET SCREWDRIVER

FEATURES

- Easy access bit storage inside end of handle
- Chrome vanadium bits
- Lockable ratchet
- Contains: 3mm/5mm/6mm slotted, PH1/PH2 Phillips, PZ1/PZ2/PZ3 Pozidrive, T10/T15 Torx bits



Product Code	Size	Order Qty	Box Qty
OX-P361501	-	1	12



PRO BRICK TROWEL PHILADELPHIA



FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- DURAGRIP handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility

Product Code	Size	Order Qty	Box Qty	
OX-P011210	10" / 250mm	1	6	
OX-P011211	11" / 280mm	1	6	
OX-P011212	12" / 300mm	1	4	

PRO BRICK TROWEL LONDON



FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- DURAGRIP handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility

Product Code	Size	Order Qty	Box Qty	
OX-P011111	11" / 280mm	1	6	

PRO GAUGING TROWEL



FEATURES

- High quality carbon steel
- Well balanced & perfect flexibility
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	
OX-P011407	7" / 180mm	1	6	



PRO POINTING TROWEL PHILADELPHIA

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty
OX-P018504	4" / 102mm	1	6
OX-P018505	5" / 127mm	1	6
OX-P018506	6" / 152mm	1	6



PRO POINTING TROWEL LONDON

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty
OX-P013604	4" / 102mm	1	6
OX-P013605	5" / 127mm	1	6
OX-P013606	6" / 152mm	1	6



PRO BUCKET TROWEL CARBON STEEL

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty
OX-P013718	7" / 180mm	1	6





PRO BUCKET TROWEL STAINLESS STEEL



FEATURES

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	
OX-P018418	7" / 180mm	1	6	

PRO TUCK POINTER



FEATURES

- One piece high quality carbon steel blade
- DURAGRIP handle with finger protection
- Soft grip handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	
OX-P011508	6 3/4" x 1/8" / 8mm	1	12	
OX-P011510	6 3/4" x 3/8" / 10mm	1	12	
OX-P011512	6 3/4" x 1/2" / 12mm	1	12	
OX-P011519	6 3/4" x 3/4" / 19mm	1	12	
OX-P011525	6 3/4" x 1" / 25mm	1	12	

PRO BRICK JOINTER



FEATURES

- For a professional finish to joints between bricks
- Heavy duty design
- High quality steel
- Sizes clearly engraved onto tool

Product Code	Size	Order Qty	Box Qty	
OX-P031101	1/2" x 5/8" / 13 x 16mm	1	6	
OX-P031102	3/4" x 7/8" / 19 x 22mm	1	6	
OX-P031103	5/8" x 3/4" / 16 x 19mm	1	6	
OX-P031104	3/8" x 1/2" / 10 x 13mm	1	6	



PRO BRICK JOINT RAKER

FEATURES

- Designed for clearing out mortar from between brickwork prior to pointing
- Strong aluminium handle contoured to fit the hand
- Two hardwearing wheels and replaceable point



Product Code	Size	Order Qty	Box Qty
OX-P031003	8 1/2" x 3"	1	6

PRO RUBBER LINE BLOCKS

FEATURES

- 1 Piece rubber line block
- Lightweight and durable
- 40 pieces in colour card display box



Product Code	Size	Order Qty	Box Qty
OX-P101801	-	1	40

PRO LINE PINS – 2 PACK

FEATURES

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges – drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention
- Pack of 2 with plastic hang tag



Product Code	Size	Order Qty	Box Qty
OX-P100102	6" / 152mm	1	12



PRO DUTCH PINS - 4PK



FEATURES

- Semi-round swivel arm
- Solid forged and hardened
- Made from high quality galvanised steel

Product Code	Size	Order Qty	Box Qty
OX-P100715	100 x 150mm	1	4

PRO CYAN BRICKLINE – 100M / 328FT



FEATURES

- Mason's line made of tough twisted nylon
- Cyan colour for high visibility
- Very high quality durable material

Product Code	Size	Order Qty	Box Qty
OX-P103510	100M / 328FT	12	12

PRO NYLON BRAIDED BUILDERS LINE – 105M / 350FT



FEATURES

- Ultra tough braided nylon brickline
- Cyan colour for high visibility

Product Code	Size	Order Qty	Box Qty
OX-P104210	105M / 350FT	1	12

TRADE BRICK TROWEL PHILADELPHIA



FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Size	Order Qty	Box Qty
OX-T017528	11" / 280mm	1	12



TRADE BRICK TROWEL LONDON

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle



Product Code	Size	Order Qty	Box Qty
OX-T017428	11" / 280mm	1	12

TRADE GAUGING TROWEL WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle



Product Code	Size	Order Qty	Box Qty
OX-T017718	7" / 180mm	1	12

TRADE POINTING TROWEL WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle



Product Code	Size	Order Qty	Box Qty
OX-T017813	5" / 127mm	1	12
OX-T017915	6" / 152mm	1	12

TRADE BUCKET TROWEL WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle



Product Code	Size	Order Qty	Box Qty
OX-T017618	7" / 180mm	1	12



PRO BRICK CARRIER



FEATURES

- Holds 8-12 bricks
- Adjustable jaw capacity
- Heavy duty construction
- Comfort grip ergonomic handle

Product Code	Size	Order Qty	Box Qty
OX-P171250	-	1	8

PRO PROFILE CLAMP



FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty
OX-P100302	50mm	1	4
OX-P100307	178mm	1	4
OX-P100312	300mm	1	4

PRO INTERNAL PROFILE CLAMP



FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

Product Code	Size	Order Qty	Box Qty
OX-P102007	178mm	1	4
OX-P102012	300mm	1	4



PRO MORTAR SPIKE

FEATURES

- Solid steel & zinc plated
- New 'thread insert' threading system
- 'T' bolt/thumb screw & thread length 80mm



Product Code	Size	Order Qty	Box Qty
OX-P102201	120 x 30mm	1	4

PRO SLIDING PROFILE CLAMP

FEATURES

- Zinc plated solid steel
- 'T' bolt/thumb screw
- Thread length 80mm



Product Code	Size	Order Qty	Box Qty
OX-P101213	330mm	1	4

PRO DORI BLOCK WITH LOCK BOLT

FEATURES

- Genuine replacement part
- Zinc plated solid steel
- 'T' bolt/thumb screw. Can be clamped to the profile pole from either side
- Use with 40 & 50mm profile poles



Product Code	Size	Order Qty	Box Qty
OX-P100950	50 x 50mm	1	4

PRO NAIL ON PROFILE CLAMP

FEATURES

- New 'thread' insert threading system
- Zinc plated solid steel
- T' bolt/thumb screw
- Thread length 80mm



Product Code	Size	Order Qty	Box Qty
OX-P102114	350mm	1	4



PRO PLASTERERS TROWEL CARBON



FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered carbon steel blade
- Lightweight aluminium shank - fully riveted
- Handle set for perfect balance
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty
OX-P010911	4 3/4" x 11" / 120 x 280mm	1	6
OX-P010914	4 3/4" x 14" / 120 x 356mm	1	6
OX-P010918	4 1/2" x 18" / 115 x 457mm	1	6

PRO PLASTERERS TROWEL STAINLESS



FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminium shank - fully riveted
- Handle set for perfect balance
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty
OX-P011011	4 1/2" x 11" / 114 x 280mm	1	6
OX-P011014	5" x 14" / 127 x 356mm	1	6
OX-P011018	5" x 18" / 127 x 457mm	1	6

TRADE PLASTERING TROWEL



FEATURES

- High grade flexible blade
- Award winning soft grip ergonomic handle design
- Heavy duty aluminium shank

Product Code	Size	Order Qty	Box Qty
OX-T534112	12" / 114 x 280mm	1	8



PRO SMALL TROWEL

FEATURES

- Stainless steel properly shaped & tempered
- Fully riveted shank
- Lightweight but very strong aluminium shank
- DURAGRIP handle for ultimate comfort

Product Code	Size	Order Qty	Box Qty
OX-P013808	8" x 3" / 200 x 75mm	1	6



PRO SPEEDSKIM – ST (PLASTERING & RENDERING)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Flattening, finishing & ruling off
- Compatible with all gypsum based plasters (hand and spray applied), Traditional sand & cement renders and insulated rendering systems
- Complete with integral blade guard

Product Code	Size	Order Qty	Box Qty
OX-P530945	450mm	1	14
OX-P530960	600mm	1	14
OX-P530990	900mm	1	14
OX-P530912	1200mm	1	14
OX-P530918	1800mm	1	5




SCAN THE QR
TO LEARN MORE



Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty
OX-P531245	450mm	1	4
OX-P531260	600mm	1	4
OX-P531290	900mm	1	4
OX-P531212	1200mm	1	4
OX-P531218	1800mm	1	5



Pro Pole Attachment available - see page 32.




PRO SPEEDSKIM – SF (FINE FINISHING & DRYWALL)



FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Ultra-fine 0.3mm stainless steel blade
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard



Product Code	Size	Order Qty	Box Qty
OX-P531030	300mm	1	14
OX-P531045	450mm	1	14
OX-P531060	600mm	1	14
OX-P531090	900mm	1	14
OX-P531012	1200mm	1	14

Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty
OX-P531330	300mm	1	14
OX-P531345	450mm	1	14
OX-P531360	600mm	1	14
OX-P531390	900mm	1	14
OX-P531312	1200mm	1	14



Pro Pole Attachment available - see page 32.



PRO SPEEDSKIM – PF (FINE FINISHING & DRYWALL)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase meterage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Thin 1mm lightweight plastic blade for an excellent finish
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard



Product Code	Size	Order Qty	Box Qty
OX-P532945	450mm	1	14
OX-P532960	600mm	1	14
OX-P532990	900mm	1	14
OX-P532912	1200mm	1	14

Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Size	Order Qty	Box Qty
OX-P533045	450mm	1	14
OX-P533060	600mm	1	14
OX-P533090	900mm	1	14
OX-P533012	1200mm	1	14

WHAT DOES THE TRADE SAY?

“Essential bit of kit. One of the greatest innovations in the last 30 years”

I’ve said it before and say it again. **I wouldn’t be without mine**”

“Only got mine 3 weeks ago **makes life so much easier**”

“**Would be lost without mine now**”

“**Fantastic tool to use, makes a hard day lighter**”

“Been plastering 42 years, sceptical at first, **wouldn’t be without one now, great piece of kit**”

“**Absolutely tremendous piece of gear. Wouldn’t be without one now. Weighs next to nothing too**”

Pro Pole Attachment available - see page 32.



PRO SPEEDSKIM – RE (RENDERING)

FEATURES



- The notched rendering blade from Speedskim® – complementing its award winning range
- Trapezoid profile
- Keys all base coats including: coloured, silicone based , monocouche and also traditional sand and cement render systems
- Speeds up the rendering process by delivering an even thickness to base coats – resulting in flatter faster finish
- Significantly reduces the harmful effects of fatigue & RSI
- Tough, high-grade 0.7mm Sheffield stainless steel blade
- Fully interchangeable

Product Code	Size	Order Qty	Box Qty	
OX-P534245	450mm	1	14	
OX-P534260	600mm	1	14	
OX-P534290	900mm	1	14	

Replacement blade

- Complete with integral blade guard and spare end caps



Product Code	Size	Order Qty	Box Qty	
OX-P534345	450mm	1	14	
OX-P534360	600mm	1	14	
OX-P534390	900mm	1	14	

PRO SPEEDSKIM – POLE ATTACHMENT

FEATURES



- Fully compatible with all standard professional 'threaded' extension poles
- Constructed from 'tough glass filled' nylon
- Compatible with all sizes of Speedskim



Product Code	Size	Order Qty	Box Qty	
OX-P531501	-	1	32	

Pro Telescopic Universal Pole available - see page 40.

Covered by world patents, registered designs & pending applications.



PRO ULTRAFLEX FINISHING TROWEL

FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle



Product Code	Size	Order Qty	Box Qty	
OX-P530111	280 x 110mm / 11"	1	1	
OX-P530114	355 x 110mm / 14"	1	1	
OX-P530116	405 x 110mm / 16"	1	1	
OX-P530118	455 x 110mm / 18"	1	1	

PRO ULTRAFLEX SMALL TROWEL

FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle



Product Code	Size	Order Qty	Box Qty	
OX-P532608	200 x 80mm / 8"	1	1	



PRO SEMI FLEX STAINLESS STEEL TROWEL



FEATURES

- New semi flexible trowel for a perfect finish, also suitable for laying on


Product Code	Size	Order Qty	Box Qty	
OX-P532514	355 x 125mm / 14"	1	1	
OX-P532516	405 x 125mm / 16"	1	1	

PRO SEMIFLEX PLASTIC FINISHING TROWEL



FEATURES

- Replaceable plastic blade system
- Light weight shank design
- Ergonomic soft grip handle



Product Code	Size	Order Qty	Box Qty	
OX-P532414	355 x 138mm / 14"	1	1	
OX-P532416	405 x 138mm / 16"	1	1	
OX-P532418	455 x 138mm / 18"	1	1	
OX-P532420	505 x 138mm / 20"	1	1	

Replaceable plastic blade - 2 pack



Product Code	Size	Order Qty	Box Qty	
OX-P532714	355 x 138mm / 14"	1	1	
OX-P532716	405 x 138mm / 16"	1	1	
OX-P532718	455 x 138mm / 18"	1	1	
OX-P532720	505 x 138mm / 20"	1	1	

TRADE PLASTIC FINISHING TROWEL



FEATURES

- Ultra flexible plastic blade for the perfect finish
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	
OX-T531714	355 x 140mm / 14"	1	6	
OX-T531716	405 x 140mm / 16"	1	6	
OX-T531718	455 x 140mm / 18"	1	6	



PRO PIPE TROWEL

FEATURES

- Lightweight but very strong aluminium shank
- High quality stainless steel blade
- DURAGRIP handle for ultimate comfort
- Used for working plaster or cement behind pipes or other difficult to reach places

Product Code	Size	Order Qty	Box Qty
OX-P0110003	10 1/2" & 3" / 260 x 75mm	1	6



PRO MARGIN TROWEL

FEATURES

- High quality carbon steel
- Flat rectangular blade
- DURAGRIP handle for extreme comfort
- Precision tapered ground blade

Product Code	Size	Order Qty	Box Qty
OX-P013405	5" x 2" / 125 x 50mm	1	12



PRO ALUMINIUM PLASTERERS HAWK

FEATURES

- High quality tempered aluminium blade
- Sponge rubber blister preventer
- Machined blade face to stop mortar from sliding off

Product Code	Size	Order Qty	Box Qty
OX-P010513	13" x 13" / 330 x 330mm	1	4





PRO DRY WALL INTERNAL CORNER TROWEL



FEATURES

- Flexible stainless steel blade with strong aluminium mounting
- Flexes for perfect 90° corners
- Curved corners to eliminate lines in plaster

Product Code	Size	Order Qty	Box Qty	
OX-P013001	4" x 5" / 102 x 127mm	1	6	

PRO DRY WALL EXTERNAL CORNER TROWEL



FEATURES

- Flexible stainless steel blade – 90° radius
- DURAGRIP handle for extreme comfort

Product Code	Size	Order Qty	Box Qty	
OX-P013105	4" x 5" / 100 x 125mm	1	6	

PRO BUCKET TROWEL CARBON STEEL



FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Curved corners to eliminate lines in plaster

Product Code	Size	Order Qty	Box Qty	
OX-P013718	7" / 180mm	1	6	



PRO BUCKET TROWEL STAINLESS STEEL

FEATURES

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort



Product Code	Size	Order Qty	Box Qty	
OX-P018418	7" / 180mm	1	6	

PRO HARLING TROWEL

FEATURES

- DURAGRIP handle with finger protection
- Used to throw pebbles onto the mortar when pebble dashing



Product Code	Size	Order Qty	Box Qty	
OX-P0110106	6 1/2 & 6 1/2" / 165 x 165mm	1	6	



PRO MIXING PADDLE – HEX SHAFT



FEATURES

- Positive ribbon / hex shaft
- General purpose use on low to medium viscosity materials
- Chrome plated, durable, high quality steel

Product Code	Size	Order Qty	Box Qty	
OX-P120308	80 x 400mm	1	12	
OX-P120310	100 x 600mm	1	6	
OX-P120312	120 x 600mm	1	6	

PRO MIXING PADDLE – M14 THREAD



FEATURES

- Negative Helix / M14 Thread end
- Chrome Plates, durable, high quality Steel
- For mixing acrylic render with grit, thick paint etc
- use on medium viscosity materials

Product Code	Size	Order Qty	Box Qty	
OX-P120435	135 x 650mm	1	6	



PRO TAPING KNIFE

FEATURES

- High quality flexible stainless steel blade
- DURAGRIP soft handle for extreme comfort
- Strong aluminium back



Product Code	Size	Order Qty	Box Qty
OX-P013320	8" / 200mm	1	6
OX-P013325	10" / 250mm	1	6
OX-P013330	12" / 300mm	1	6

PRO JOINT KNIFE

FEATURES

- Flexible stainless steel blade
- Built-in hammer end
- DURAGRIP soft handle for extreme comfort



Product Code	Size	Order Qty	Box Qty
OX-P013203	1½" / 32mm	1	6
OX-P013205	2" / 50mm	1	6
OX-P013207	3" / 76mm	1	6
OX-P013210	4" / 102mm	1	6
OX-P013212	5" / 127mm	1	6
OX-P013215	6" / 152mm	1	6

PRO SMALL TOOL

FEATURES

- High quality carbon steel
- One piece drop forged
- Precision ground & tempered



Product Code	Size	Order Qty	Box Qty
OX-P010113	13mm	1	6
OX-P010116	16mm	1	6
OX-P010119	19mm	1	6



TRADE FEATHER EDGES



FEATURES

- Combined feather edge & straight edge
- Mill finished aluminium construction
- Very light and manoeuvrable
- Printed scale for ruling

Product Code	Size	Order Qty	Box Qty	
OX-T024812	1200mm / 4ft	2	12	
OX-T024818	1800mm / 6ft	2	12	

PRO HAND SANDER



FEATURES

- Soft grip handle
- Lightweight durable design
- Fast changing sandpaper design
- Bonded foam pad

Product Code	Size	Order Qty	Box Qty	
OX-P070701	240mm x 80mm	1	4	

TRADE DRYWALL RASP



FEATURES

- Lightweight polypropylene handle and metal body
- For use on wood, aluminium, copper, plastic & laminates

Product Code	Size	Order Qty	Box Qty	
OX-T071725	250mm	1	48	

PRO TELESCOPIC UNIVERSAL POLE



FEATURES

- Universal steel thread
- Unique double locking mechanism for extra stability

Product Code	Size	Order Qty	Box Qty	
OX-P071601	350-3500mm	1	24	



PRO HEAVY DUTY SWIVEL SANDER HEAD

FEATURES

- Lightweight easy swivel sanding head
- Unique quick release system



Product Code	Size	Order Qty	Box Qty
OX-P071580	-	1	48

PRO DRY WALL SCARIFIER

FEATURES

- High quality Scarifier for the preparation of drywall surfaces to help keying of plaster
- Heat treated tines fitted in strong aluminium back



Product Code	Size	Order Qty	Box Qty
OX-P051620	200mm / 8"	1	6
OX-P051625	250mm / 10"	1	6
OX-P051630	300mm / 12"	1	6

TRADE RENDER SCRAPER

FEATURES

- Heavy duty 2 component handle
- Galvanised metal spiked base plate
- Used for keying and scraping render surfaces



Product Code	Size	Order Qty	Box Qty
OX-T051425	250 x 130mm	1	20

PRO SPONGE RUBBER FLOAT

FEATURES

- Sponge rubber Fine or Coarse cell pads cemented to aluminium backing plate



Product Code	Description	Order Qty	Box Qty
OX-P405301	Fine	1	5
OX-P405401	Coarse	1	5



PRO POLYMER SPONGE FLOAT



FEATURES

- One piece HDPS material
- Ergonomic handle
- Special 'fine cell' sponge

Product Code	Size	Order Qty	Box Qty
OX-P016411	4 3/4" x 12" / 120 x 300mm	1	6

PRO POLYURETHANE PLASTERERS FLOAT




FEATURES

- Lightweight sturdy construction
- Non-absorbent pattern face

Product Code	Size	Order Qty	Box Qty
OX-P016815	14" x 6" / 350 x 150mm	1	10
OX-P016811	11" x 4 1/2" / 280 x 110mm	1	10

PRO POLYURETHANE PLASTERERS HAWK



FEATURES

- Lightweight sturdy construction

Product Code	Size	Order Qty	Box Qty
OX-P016933	13" x 13" / 330 x 330mm	1	6



PRO POINTED FLOORING TROWEL

FEATURES

- DURAGRIP handle with soft grip
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength



Product Code	Size	Order Qty	Box Qty
OX-P018716	16" / 115 x 405mm	1	6
OX-P018718	18" / 115 x 450mm	1	6

PRO CEMENT FINISHING TROWEL

FEATURES

- DURAGRIP handle with soft grip
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength



Product Code	Size	Order Qty	Box Qty
OX-P018814	14" / 120 x 356mm	1	6
OX-P018816	16" / 115 x 405mm	1	6

PRO POOL FINISHING TROWEL

FEATURES

- Heavy duty aluminium shank
- DURAGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade



Product Code	Size	Order Qty	Box Qty
OX-P015818	4 1/3 x 17 3/4" / 110 x 450mm	1	4



PRO NARROW EDGER



FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty
OX-P014406	75 x 180mm, 6mm (R), 12mm (D)	1	6
OX-P014410	75 x 180mm, 10mm (R), 19mm (D)	1	4

PRO MEDIUM EDGER



FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty
OX-P014506	100 x 180mm, 6mm (R), 14mm (D)	1	6
OX-P014510	100 x 180mm, 10mm (R), 14mm (D)	1	4
OX-P014519	100 x 180mm, 19mm (R), 19mm (D)	1	6

PRO EXTRA WIDE EDGER



FEATURES

- High grade stainless steel blade
- Riveted handle support
- DURAGRIP handle for comfort

Product Code	Description	Order Qty	Box Qty
OX-P014910	145 x 215mm, 10mm (R), 12mm (D)	1	6
OX-P014912	145 x 215mm, 12mm (R), 24mm (D)	1	6
OX-P014916	145 x 215mm, 16mm (R), 24mm (D)	1	4
OX-P014925	145 x 215mm, 25mm (R), 24mm (D)	1	6



PRO GROOVER

FEATURES

- High grade stainless steel blade
- DURAGRIP handle for comfort



Product Code	Size	Order Qty	Box Qty
OX-P012510	90 x 180mm Groove 4.8mm (W), 10mm (D)	1	6

PRO MAGNESIUM FLOAT

FEATURES

- Heavy duty magnesium blade
- Bevelled ends and rounded blade
- Soft grip handle for comfort



Product Code	Size	Order Qty	Box Qty
OX-P017012	12" / 300mm Notch 6mm	1	6
OX-P017016	16" / 400mm Notch 8mm	1	4
OX-P017020	20" / 500mm Notch 10mm	1	6

PRO SPINNER FLOAT

FEATURES

- High grade stainless steel dished design
- Reversible DURAGRIP handle



Product Code	Size	Order Qty	Box Qty
OX-P014112	120 x 290mm	1	4
OX-P014114	145 x 215mm	1	6



TRADE LIGHTWEIGHT EXTRUSION RAKE



FEATURES

- Lightweight for ease of use
- Extruded rake plate
- 45 degree edge angle
- 1500mm long handle with soft grip

Product Code	Description	Order Qty	Box Qty	
OX-T016301	100 x 500mm	1	4	

PRO ALUMINIUM CONCRETE RAKE




FEATURES

- 1500mm long handle with soft grip
- Braced for additional strength
- Aluminium construction - powder coated

Product Code	Description	Order Qty	Box Qty	
OX-P016302	100 x 500mm	1	4	

PRO ALUMINIUM CONCRETE RAKE - WITH HOOK



FEATURES

- Braced for additional strength
- With 8mm diameter hook for lifting rebar
- 1500mm long handle with soft grip

Product Code	Description	Order Qty	Box Qty	
OX-P016303	100 x 500mm	1	4	



PRO ALUMINIUM BULLFLOAT – WITH TELESCOPIC HANDLE

FEATURES

- Fluted profile
- Powder coated finish
- H.D.P.E screw-lock fitting
- High quality extruded aluminium
- Extruded ribs for extra strength
- Easy to clean powder coated finish
- Heavy duty structural alloy
- Twist and tilt knuckle operation lifts and drops the blade when pushing or pulling across the wet concrete.

Product Code	Size	Order Qty	Box Qty	
OX-P016612	Bullfloat 1200mm	1	4	
OX-P016524	Handle 1300 - 2400mm	1	4	



PRO WIDE END CUTTING NIPPERS

FEATURES

- PVC Firm grip handle
- Drop forged from high quality carbon steel
- Individually hardened

Product Code	Description	Order Qty	Box Qty	
OX-P230420	200mm / 8"	1	6	





PRO NOTCH TROWEL



FEATURES

- Carbon steel blade
- Aluminium heavy duty shank
- DURAGRIP handle for comfort

Product Code	Size	Order Qty	Box Qty
OX-P403206	115 x 280mm - 6mm	1	6
OX-P403208	115 x 280mm - 8mm	1	6
OX-P403210	115 x 280mm - 10mm	1	6
OX-P403212	115 x 280mm - 12mm	1	6

TRADE NOTCH TROWEL



FEATURES

- Carbon steel blade
- Ergonomic soft grip handle

Product Code	Size	Order Qty	Box Qty
OX-T535106	120 x 310mm - 6mm	1	8
OX-T535108	120 x 310mm - 8mm	1	8
OX-T535110	120 x 310mm - 10mm	1	8

PRO SOFT GRIP GROUT FLOAT



FEATURES

- Soft grip ergonomic handle
- Gum rubber black with bevelled edges
- Plastic backer with foam cushion for even pressure

Product Code	Size	Order Qty	Box Qty
OX-P406224	100 x 240mm	1	12



PRO SPONGE FLOAT

FEATURES

- Soft grip handle for ultimate grip and comfort
- 30mm hydro-sponge pad, highly absorbent
- Profiled version for easier cleaning (OX-P140614)

Product Code	Size	Order Qty	Box Qty
OX-P140613	140 x 280mm	1	24
OX-P140614	280 x 140mm	1	24



OX-P140613



OX-P140614

PRO GROUT REMOVER

FEATURES

- Tungsten carbide tipped blade
- Ergonomic body and grip - with blade storage compartment in the hilt

Product Code	Size	Order Qty	Box Qty
OX-P130201	-	1	72



PRO GROUT REMOVER BLADE

FEATURES

- Tungsten carbide tipped 50mm blade
- Suits OX-P130201

Product Code	Size	Order Qty	Box Qty
OX-P139801	1 x carbide blade & 1 x black carbide blade	1	100





PRO TILE NIPPERS



FEATURES

- Heavy duty large blade nippers for ceramic tiles
- Tungsten carbide tipped jaws
- Soft grip ergonomic handle for extreme comfort

Product Code	Size	Order Qty	Box Qty
OX-P153080	200mm / 8"	1	5

TRADE TILE CLEANER



FEATURES

- Heavy duty 2 component handle
- 2 Grout emulsifying pads included, Black for cleaning and white for polishing

Product Code	Size	Order Qty	Box Qty
OX-T142525	120 x 250mm	1	6

TRADE CROSS SHAPED TILE SPACERS



FEATURES

- Durable tile spacers to help space tiles evenly to give professional finish
- Extra long legs
- 250 Pcs per bag



Product Code	Size	Order Qty	Box Qty
OX-T160902	2mm	1	250
OX-T160903	3mm	1	250
OX-T160904	4mm	1	250
OX-T160905	5mm	1	250



TRADE WEDGE SHAPED TILE SPACERS

FEATURES

- Strong & durable plastic tile wedges
- 500 Pcs per bag



500
BOX



Product Code	Size	Order Qty	Box Qty
OX-T160605	6mm	1	500

TRADE TILE WASH KIT

FEATURES

- Large 24 litre container made of impact resistant plastic
- Comes with 3 rollers for the best results
- Includes wheels & plastic base grid



Product Code	Size	Order Qty	Box Qty
OX-T140424	24 Litres	1	6





PRO CLAW HAMMER



FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Size	Order Qty	Box Qty	
OX-P080116	16oz / 450g	1	4	
OX-P080120	20oz / 560g	1	4	
OX-P080124	24oz / 680g	1	4	

PRO STRAIGHT CLAW HAMMER



FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Size	Order Qty	Box Qty	
OX-P082920	20oz / 560g	1	4	



PRO FRAMING HAMMER

FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced



Product Code	Size	Order Qty	Box Qty
OX-P082328	28oz / 790g	1	4

PRO BRICK HAMMER

FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced



Product Code	Size	Order Qty	Box Qty
OX-P082424	24oz / 680g	1	4

PRO DRYWALL HAMMER

FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction



Product Code	Size	Order Qty	Box Qty
OX-P082614	14oz / 400g	1	4



TRADE CLAW HAMMER



FEATURES

- Heat treated carbon steel head
- Polished head with laser marked weight
- Textured grip

Product Code	Size	Order Qty	Box Qty
OX-T082820	20oz / 570g	1	4

TRADE HICKORY HANDLE CLAW HAMMER



FEATURES

- Premium quality genuine American hickory handle
- Forged high quality steel head
- Polished head with laser marked weight

Product Code	Size	Order Qty	Box Qty
OX-T085116	16oz / 450g	1	4

PRO FIBREGLASS CLAW HAMMER



FEATURES

- Fibreglass shaft with an injection moulded grip
- Non-slip grip with shock reduction
- Precision balanced

Product Code	Size	Order Qty	Box Qty
OX-P081616	16oz / 450g	1	4
OX-P081620	20oz / 570g	1	4



PRO CLUB HAMMER

FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability



Product Code	Size	Order Qty	Box Qty	
OX-P082703	3lb / 1.3kg	1	4	
OX-P082704	4lb / 1.8kg	1	4	

TRADE FIBREGLASS CLUB HAMMER

FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 2.5LB & 4LB



Product Code	Size	Order Qty	Box Qty	
OX-T081302	2.5lb / 1.13kg	1	4	
OX-T081304	4lb / 1.8kg	1	4	

PRO HICKORY HANDLE CLUB HAMMER

FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Available in 2.5LB & 4LB



Product Code	Size	Order Qty	Box Qty	
OX-P081102	2.5lb / 1.1kg	1	4	
OX-P081104	4lb / 1.8kg	1	4	



TRADE FIBREGLASS SLEDGE HAMMER



FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Ergonomic tough rubber grip collar
- Available in 7LB, 10LB & 14LB

Product Code	Size	Order Qty	Box Qty	
OX-T081507	7lb / 3.2kg	1	4	
OX-T081510	10lb / 4.5kg	1	4	
OX-T081514	14lb / 6.3kg	1	2	

PRO HICKORY HANDLE SLEDGE HAMMER



FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Rubber collar for strike protection
- Available in 7LB, 10LB & 14LB

Product Code	Size	Order Qty	Box Qty	
OX-P081407	7lb / 3.2kg	1	2	
OX-P081410	10lb / 4.5kg	1	2	
OX-P081414	14lb / 6.3kg	1	2	



TRADE COMBINATION RUBBER MALLET

FEATURES

- Standard black face for general work
- Semi hard white face that will not mark or discolour surfaces
- Strong & light fibreglass handle
- Comfortable grip



Product Code	Size	Order Qty	Box Qty
OX-T081916	16oz / 450g	1	6
OX-T081924	24oz / 680g	1	6
OX-T081932	32oz / 907g	1	6

PRO WHITE RUBBER MALLET

FEATURES

- Quality, durable rubber mallet
- Available in 16oz, 24oz & 32oz



Product Code	Size	Order Qty	Box Qty
OX-P081816	16oz / 450g	1	6
OX-P081824	24oz / 680g	1	6
OX-P081832	32oz / 907g	1	6

TRADE BLACK RUBBER MALLET

FEATURES

- Quality, durable rubber mallet
- Available in 16oz, 24oz & 32oz



Product Code	Size	Order Qty	Box Qty
OX-T081716	16oz / 450g	1	6
OX-T081724	24oz / 680g	1	6
OX-T081732	32oz / 907g	1	6



PRO FIXED FOLDING KNIFE



FEATURES

- Compact foldable design
- Blade storage in handle
- Very fast blade change

Product Code	Size	Order Qty	Box Qty
OX-P221301	-	1	12

PRO RETRACTABLE FOLDING KNIFE



FEATURES

- Retractable blade knife with easy folding mechanism
- Blade storage in handle
- Instant blade change

Product Code	Size	Order Qty	Box Qty
OX-P223501	-	1	12

PRO HEAVY DUTY UTILITY KNIFE



FEATURES

- Quick blade changing - accepts most standard utility blades
- Firm grip handle
- Magnetic tip
- Storage for blade dispenser - 10 Blades included

Product Code	Size	Order Qty	Box Qty
OX-P220310	-	1	12

TRADE HEAVY DUTY KNIFE



FEATURES

- Heavy duty knife with tough metal construction
- Accepts most standard utility blades
- Blade storage in handle
- Retractable blade

Product Code	Size	Order Qty	Box Qty
OX-T222701	-	1	12



TRADE RETRACTABLE UTILITY KNIFE

FEATURES

- Tough metal construction
- Accepts most standard utility blades
- Blade storage in handle

Product Code	Size	Order Qty	Box Qty
OX-T220601	-	1	12



TRADE UTILITY KNIFE

FEATURES

- Ergonomic body shape for comfort during long periods of use
- Tough metal construction
- Soft grip insert for added grip

Product Code	Size	Order Qty	Box Qty
OX-T224101	-	1	12



PRO HEAVY DUTY KNIFE BLADES

FEATURES

- General purpose heavy duty blades in dispenser
- High quality SK2 steel
- Extra flexible and durable

Product Code	Size	Order Qty	Box Qty
OX-P222110	100 Pack	6	6
OX-P222010	10 Pack	20	20



PRO HOOKED KNIFE BLADE - 10 / 100 PACK

FEATURES

- Hooked heavy-duty blades in dispenser
- High quality SK2 steel
- Extra flexible & durable

Product Code	Size	Order Qty	Box Qty
OX-P222510	10 Pack	20	20
OX-P222610	100 Pack	6	6





TRADE SNAP OFF KNIFE - 18MM



FEATURES

- High quality fantastic value 18mm snap off blade knife
- Supplied with 2 spare blades stored within the handle
- Unique Japanese ultra sharp black snap off blades made from premium grade steel and tempered for the optimum balance of hardness and pliability



Product Code	Size	Order Qty	Box Qty
OX-T223818	-	1	10

PRO SNAP OFF KNIFE BLADES 18MM - 10 PACK



FEATURES

- Unique Japanese ultra sharp black snap off blades made from premium grade steel and tempered for the optimum balance of hardness and pliability
- Comes in sturdy plastic storage container of 10 blades

Product Code	Size	Order Qty	Box Qty
OX-P223910	-	1	20

TRADE WINDOW SCRAPER



FEATURES

- Comfortable moulded plastic handle
- Detachable blade guard
- Uses standard trimming knife blade

Product Code	Size	Order Qty	Box Qty
OX-T051501	-	1	25



PRO HEAVY DUTY FLOOR SCRAPER

FEATURES

- Heavy duty chrome plated solid steel handle
- Cushion grip
- Solid steel hammer end cap
- The heaviest duty scraper on the market today

Product Code	Size	Order Qty	Box Qty
OX-P051218	5" / 127mm	1	6

Replaceable blade - 10 pack

Product Code	Size	Order Qty	Box Qty
OX-P051310	Replacement Blades - 10 pk	1	20



PRO STRAIGHT TIN SNIPS – 10" (250MM)

FEATURES

- Hardened steel for durability and clean cut
- Non-slip comfort grip handle

Product Code	Size	Order Qty	Box Qty
OX-P223010	10" / 250mm	1	6



PRO SNIPS

FEATURES

- 185mm (7") durable ultra sharp snips
- Comfort grip ergonomically designed handles
- Stainless Steel serrated edge blades for increased cutting capacity
- Ideal for all industrial applications including wire netting, light gauge aluminium, carpet, leather, Kevlar®, and many other items
- Ideal knife replacement tool

Product Code	Cut Direction	Order Qty	Box Qty
OX-P233001	Straight	1	12





PRO AVIATION SNIPS



FEATURES

- Heat treated alloy jaws - fully adjustable and replaceable
- Rated to cut HRC49
- Max cut 1.5mm mild steel / 0.9 stainless steel

Product Code	Cut Direction	Order Qty	Box Qty	
OX-P231001	Left (red)	1	4	
OX-P231003	Straight (yellow)	1	4	
OX-P231002	Right (green)	1	4	

TRADE AVIATION SNIPS



FEATURES

- Soft grip ergonomic handle
- Locking mechanism
- Ultra strong construction
- Straight cut jaw

Product Code	Cut Direction	Order Qty	Box Qty	
OX-T232901	Straight	1	4	

PRO HEAVY DUTY AVIATION SNIPS



FEATURES

- Extra sharp long life serrated jaws for fast accurate cutting
- Ergonomic and comfortable soft grip handles
- Internal one handed auto release system

Product Code	Cut Direction	Order Qty	Box Qty	
OX-P232801	Left (red)	1	4	
OX-P232803	Straight (yellow)	1	4	
OX-P232802	Right (green)	1	4	



PRO HAND SAW - 20" & 22"

FEATURES

- Ultimate Ergonomic soft grip handle for extreme comfort and increased power
- Triple ground and impulse hardened teeth for aggressive cutting and longer life
- Improved stability for faster cutting
- Integral 45 and 90 degree angles built into handle
- Suitable for Universal cutting
- 8 teeth per inch, 1mm blade thickness



Product Code	Size	Order Qty	Box Qty
OX-P133250	20" / 500mm	1	12
OX-P133255	22" / 550mm	1	12

PRO JAB SAW WITH HOLSTER

FEATURES

- Professional metal heavy duty jab saw with ergonomic soft grip handle
- Hardened & tempered blade for aggressive cutting - triple ground teeth
- Sharp point for piercing board
- Supplied with heavy duty holster for safe storage when not in use
- Fast cutting for drywall, wood & plastic



Product Code	Size	Order Qty	Box Qty
OX-P133116	6.5" / 165mm	1	12

TRADE JAB SAW WITH HOLSTER

FEATURES

- Supplied with protective holster for safety when not in use
- Hardened & tempered steel blade for increased life
- 8 Teeth per inch
- Non-slip ergonomic handle
- Excellent for wood, plastic & drywall



Product Code	Size	Order Qty	Box Qty
OX-T131516	6.5" / 165mm	1	10



PRO BOLT CROPPERS



FEATURES

- Heat treated alloy jaws - fully adjustable
- Rated to cut HRC40

Product Code	Size	Order Qty	Box Qty
OX-P230118	450mm / 18"	1	2
OX-P230124	600mm / 24"	1	2
OX-P230130	750mm / 30"	1	2
OX-P230136	900mm / 36"	1	2
OX-P230142	1050mm / 42"	1	2

PRO 21" BOW SAW



FEATURES

- Pointed nose for better access in tight areas
- Robust extra heavy duty build for excellent stability & strength
- Ergonomic handle that absorbs cutting vibration
- Built in adjustable tensioning system to ensure greater precision and easy replacement of saw blade

Product Code	Size	Order Qty	Box Qty
OX-P133321	533mm / 21"	1	5

PRO 21" BOW SAW – REPLACEMENT BLADE

FEATURES

- Top quality stainless steel saw blade with hardened teeth for smooth fast cutting



Product Code	Size	Order Qty	Box Qty
OX-P133421	533mm / 21"	1	200



PRO HIGH TENSION 12" (300MM) HACKSAW

FEATURES

- Quick change blade design - 230kgf High blade tension
- Bi grip rubber handle
- Blade in either 45° /90° cut position
- No tools needed to change blade



Product Code	Size	Order Qty	Box Qty
OX-P130730	12" / 300mm	1	6

PRO MINI 6" (150MM) HACKSAW

FEATURES

- Bi grip rubber handle
- 6 Blade angle settings
- Industrial strength hacksaw



Product Code	Size	Order Qty	Box Qty
OX-P130815	6" / 150mm	1	12

PRO 12" (300MM) HACKSAW BLADES

FEATURES

- Cuts aluminium, iron, copper, carbon steel and hard plastic
- Pack of 4 blades



Product Code	Size	Order Qty	Box Qty
OX-P131318	18 TPI PACK 4	1	50
OX-P131324	24 TPI PACK 4	1	50
OX-P131332	32 TPI PACK 4	1	50

PRO 6" HACKSAW BLADES – 24TPI

FEATURES

- Cuts aluminium, iron, copper, carbon steel and hard plastic
- Pack of 10 blades



Product Code	Size	Order Qty	Box Qty
OX-P131424	24 TPI PACK 10	1	24



PRO CLAW BAR



FEATURES

- Unique hammer head
- Multi-functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Size	Order Qty	Box Qty	
OX-P083010	10" / 250mm	1	6	
OX-P083012	12" / 300mm	1	6	



PRO MOULDING BAR



FEATURES

- Unique hammer head
- Multi-functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Size	Order Qty	Box Qty	
OX-P083110	10" / 250mm	1	6	





PRO ELECTRICIAN'S CHISEL - 2 1/4" X 10"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty
OX-P092002	2 1/4" x 10"	1	5



PRO FLOOR CHISEL - 3" X 11"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty
OX-P092103	3" x 11"	1	5



PRO COLD CHISEL - 1" X 12"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle

Product Code	Size	Order Qty	Box Qty
OX-P092401	1" x 12"	1	5





PRO BRICK CHISEL VARIOUS SIZES



FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of Bricks & Masonry

Product Code	Size	Order Qty	Box Qty	
OX-P092303	3" x 8 1/2"	1	5	
OX-P092304	4" x 8 1/2"	1	5	

PRO CONCRETE CHISEL – 3/4" X 12"



FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of Concrete

Product Code	Size	Order Qty	Box Qty	
OX-P092501	3/4" x 12"	1	5	

PRO HANDY BAR



FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

Product Code	Size	Order Qty	Box Qty	
OX-P093015	15" / 380mm	1	8	



TRADE WRECKING BAR VARIOUS SIZES

FEATURES

- Solid steel wrecking bar
- Forged high carbon steel - one piece

Product Code	Size	Order Qty	Box Qty
OX-T091012	12" / 300MM	1	10
OX-T091018	18" / 450MM	1	10
OX-T091024	24" / 600MM	1	10
OX-T091030	30" / 750MM	1	10
OX-T091036	36" / 900MM	1	10



TRADE COLD CHISEL VARIOUS SIZES

FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- For cutting & shaping metal

Product Code	Size	Order Qty	Box Qty
OX-T090110	1" X 10" / 25 X 250MM	1	6
OX-T090112	1" X 12" / 25 X 300MM	1	6
OX-T090118	1" X 18" / 25 X 450MM	1	4
OX-T091206	½" X 6" / 13 X 150MM	1	10
OX-T091208	¾" X 8" / 20 X 200MM	1	10
OX-T091210	¾" X 10" / 20 X 250MM	1	10
OX-T091212	¾" X 12" / 20 X 300MM	1	10
OX-T091218	¾" X 18" / 20 X 450MM	1	6



TRADE PLUGGING CHISEL 230MM X 6MM

FEATURES

- Steel plugging chisel
- One piece forged steel for ultimate strength

Product Code	Size	Order Qty	Box Qty
OX-T091106	230MM X 6MM	1	6





TRADE BRICK BOLSTER VARIOUS SIZES



FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability

Product Code	Size	Order Qty	Box Qty
OX-T090902	2 1/4" / 57MM	1	5
OX-T090903	3" / 75MM	1	5
OX-T090904	4" / 100MM	1	5

TRADE BRICK BOLSTER WITH GUARD VARIOUS SIZES



FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- Protection hand guard

Product Code	Size	Order Qty	Box Qty
OX-T090502	2 1/4" / 57MM	1	6
OX-T090503	3" / 75MM	1	4
OX-T090504	4" / 100MM	1	4

PRO HEAVY DUTY WRECKING BAR – 24"



FEATURES

- Forged high carbon steel for incredible strength
- Slotted claw for pulling & prying nails
- Impressive powder coated finish

Product Code	Size	Order Qty	Box Qty
OX-P083524	24"	1	10



PRO DOUBLE ENDED SCUTCH HAMMER – 28OZ

FEATURES

- Hardened high quality steel / strong fibreglass handle
- Takes OX scutch combs in both end, designed for dressing bricks and masonry



Product Code	Size	Order Qty	Box Qty
OX-T085028	28oz	1	6

PRO SCUTCH COMB HOLDERS

FEATURES

- For detachable stone dressing combs
- Hardened & tempered for durability - high carbon steel



Product Code	Size	Order Qty	Box Qty
OX-P090310	200 x 25MM / 8 x 1"	1	4
OX-P090315	200 x 38MM / 8 x 1 1/2"	1	4

PRO SCUTCH COMBS – 4PK

FEATURES

- To fit into a scutch comb holder
- For preparation of surface prior to re-rendering

Product Code	Size	Order Qty	Box Qty
OX-P080725	25MM	1	10
OX-P080738	38MM	1	10
OX-P080750	50MM	1	10





PRO ULTRA-WIDE JAW ADJUSTABLE WRENCH



Measurement scale on jaw

FEATURES

- Very slim head for access into tight spaces

Product Code	Size	Order Qty	Box Qty	
OX-P324606	6" / 152mm	1	10	
OX-P324608	8" / 200mm	1	5	
OX-P324610	10" / 250mm	1	5	
OX-P324612	12" / 300mm	1	5	

PRO ADJUSTABLE WRENCH



Laser marked jaw scale

FEATURES

- Narrow head design for limited space applications

Product Code	Size	Jaw	Order Qty	Box Qty	
OX-P324506	6" / 152mm	24mm	1	6	
OX-P324508	8" / 200mm	29mm	1	6	
OX-P324510	10" / 250mm	33mm	1	6	

PRO SLIM JAW ADJUSTABLE WRENCH



Measurement scale on jaw

FEATURES

- Ultra slim head for easy accessibility in confined spaces
- Double ended with a fixed jaw at one end for nuts, bars, screws etc

Product Code	Size	Jaw	Order Qty	Box Qty	
OX-P560208	200mm/8"	32mm	1	6	

PRO STUBBY ADJUSTABLE WRENCH EXTRA JAW



FEATURES

- Short handled wrench for access in restricted spaces
- 0 - 53mm ultra wide opening slim jaws
- Dipped handle for comfort
- Heavy duty build for long life

Product Code	Size	Jaw	Order Qty	Box Qty	
OX-P560507	180mm/7"	53mm	1	6	



PRO MINI ADJUSTABLE WRENCH - 100MM / 4"

FEATURES

- Precision engineered compact design for manoeuvrability in tight spaces
- Angled head for improved accessibility
- Made from chromium-vanadium steel
- Compact and portable
- 17mm Jaw width

SCAN THE QR TO LEARN MORE



Product Code	Size	Order Qty	Box Qty
OX-P561004	100mm / 4"	1	10

PRO HEAVY DUTY ALUMINIUM SELF LOCKING WRENCH

FEATURES

- OX Strength Self Locking Grip
- Grips Stainless steel tubes
- Super lightweight aluminium handle

Product Code	Size	Jaw	Order Qty	Box Qty
OX-P560110	10" / 250mm	34mm	1	12



PRO STILLSON PATTERN PIPE WRENCH

FEATURES

- Deeply grooved jaws for instant grip and ratcheting action

Product Code	Size	Order Qty	Box Qty
OX-P441812	300mm / 12"	1	6
OX-P441814	350mm / 14"	1	6



PRO LOCKING PLIERS

FEATURES

- Quick jaw release lever for ease of opening

Product Code	Size	Order Qty	Box Qty
OX-P449323	230mm/9"	1	5





TRADE FIXED BASIN WRENCH (15 - 22MM)



FEATURES

- Heavy duty basin wrench
- For fitting back nuts and union nuts of pillar and bath taps behind basins, sinks and baths.
- Jaws machined to fit standard back nuts
- Offset design for easy access behind baths and sinks

Product Code	Size	Order Qty	Box Qty	
OX-T449022	15 - 22mm	1	6	

TRADE ADJUSTABLE BASIN WRENCH



FEATURES

- Adjustable wrench for taps and basins
- Forged jaw turns 180 degrees for more flexibility

Product Code	Size	Order Qty	Box Qty	
OX-T449201	-	1	12	

PRO ADJUSTABLE BASIN WRENCH



FEATURES

- Telescopic basin nut wrench
- Reversible Jaw for easy access
- 4 adjustment sizes
- 10 to 32mm Jaw Capacity

Product Code	Size	Order Qty	Box Qty	
OX-P448401	-	1	15	

TRADE COMPRESSION FITTING SPANNER (15 - 22MM)



FEATURES

- For tightening & loosening 15 & 22mm compression fitting nuts
- High quality steel

Product Code	Size	Order Qty	Box Qty	
OX-T448922	15 - 22mm	1	12	



TRADE IMMERSION SPANNER

FEATURES

- Cranked head for easy access
- Firm non slip grip on immersion heater elements
- High quality steel

Product Code	Size	Order Qty	Box Qty
OX-T448801	-	1	6



PRO HEAVY DUTY IMMERSION SPANNER

FEATURES

- Extra heavy duty immersion wrench
- Cranked head for easy access
- One piece casting for greater strength and power

Product Code	Size	Order Qty	Box Qty
OX-P449901	-	1	2



TRADE MANHOLE COVER KEYS

FEATURES

- Lifting keys for the easy removal of manhole covers
- Heavy duty iron
- D shaped ends

Product Code	Size	Order Qty	Box Qty
OX-T449102	-	1	12



TRADE BRASS RADIATOR KEYS - 3 PACK

FEATURES

- Fits most domestic radiators

Product Code	Size	Order Qty	Box Qty
OX-T449803	-	1	12





PRO WATERPUMP PLIERS



FEATURES

- Adjustable width jaw for grasping & turning
- Tough chrome vanadium steel

Product Code	Size	Order Qty	Box Qty	
OX-P325825	250mm / 10"	1	12	

PRO AUTOMATIC WATERPUMP PLIERS



FEATURES

- Automatic waterpump pliers for fast one hand size adjustment
- Tough chrome vanadium steel
- Double dipped handle for comfort

Product Code	Size	Order Qty	Box Qty	
OX-P326010	250mm / 10"	1	10	
OX-P326012	300mm / 12"	1	6	

PRO MULTI ANGLE ALUMINIUM PIPE WRENCH



FEATURES

- Fully adjustable jaw up to 53mm
- Lightweight aluminium handle for strain free all-day use
- 180° Quick action adjustable handle
- Heavy duty construction
- Perfect for use in restricted areas

Product Code	Size	Order Qty	Box Qty	
OX-P560610	250mm / 10"	1	6	

PRO MAX LEVERAGE PLUMBING GRIPS



FEATURES

- Push button release for super fast and accurate adjustment
- Ultimate force distribution from jaws to handle providing incredible grip

Product Code	Size	Order Qty	Box Qty	
OX-P562525	250mm / 10"	1	24	



PRO POLYZIP™ PLASTIC PIPE CUTTER

FEATURES

- Fast precision cutting
- Lightweight & easy to use
- Compatible with all popular plastic pipes
- Zero pipe deformation promotes easy insertion of pipe stiffeners
- Zero swarf for professional results on solvent weld & push fit systems



Check it out on our YouTube Channel: OX Tools/POLYZIP


Product Code	Size	Order Qty	Box Qty
OX-P561915	15mm	1	64
OX-P562022	22mm	1	64
OX-P562135	35mm (1¼")	1	50
OX-P562240	40mm (1½")	1	50
OX-P562242	42mm (1½")	1	50
OX-P562255	50mm (2")	1	36
OX-P562701	Blades (3 Pack)	1	92



Replacement blade
- 3 pack available

Ribbed ergonomic design to enhance grip when twisting

Ideal for confined spaces



Directional rotation arrows demonstrating correct twisting direction

Razor sharp replaceable stainless blades cut clean and square through all types of popular plastic pipe

Comprehensive size range available

UK PATENTED TECHNOLOGY



PRO COPPER PIPE CUTTER



FEATURES

- Fast clean cutting, ideal for use in confined spaces

Product Code	Size	Order Qty	Box Qty
OX-P448515	15mm	1	12
OX-P448522	22mm	1	12
OX-P448528	28mm	1	12

Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty
OX-P440102	-	1	200

PRO RATCHET COPPER PIPE CUTTER



FEATURES

- Internal cutting mechanism with ergonomic surround which fits comfortably in the hand

Product Code	Size	Order Qty	Box Qty
OX-P449615	15mm	1	12
OX-P449622	22mm	1	12

Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty
OX-P440102	-	1	200

PRO ADJUSTABLE TUBE CUTTER



FEATURES

- Heavy duty telescopic tube cutter
- Smooth and accurate telescopic adjustment
- Cuts tubes from 6 – 35mm
- Deburring attachment for removing swarf
- Cuts copper, brass, aluminium and thin walled steel tubes

Product Code	Size	Order Qty	Box Qty
OX-P448635	3 - 35mm	1	25

Replacement cutting wheels - 2 Pack

Product Code	Size	Order Qty	Box Qty
OX-P560302	-	1	200



PRO PVC PIPE CUTTER (16 - 42MM)

FEATURES

- V Shape blade for immediate penetration.
- Exceptionally sharp stainless steel blade.
- Cuts through any MUPVC/PVC pipe effortlessly without kinking or shattering



Product Code	Size	Order Qty	Box Qty
OX-P449542	16 - 42mm	1	12
OX-P449701	Replacement Blade	1	25

PRO OLIVE REMOVAL TOOL – 15 & 22MM

FEATURES

- Heavy duty olive removal tool
- Removes an olive from copper pipe without damaging the pipe
- Dipped handles for comfort and grip



Product Code	Size	Order Qty	Box Qty
OX-P440015	15mm	1	5
OX-P440022	22mm	1	5

PRO HEX KEY SET – 9PC

FEATURES


- Ball-end design aids access to bolts in hard to reach places
- Diamond tip to eliminate cam-out, protecting both the bolt and the hex key
- Ensuring longer life than standard hex keys
- Chrome Vanadium Steel Construction
- Chemically blackened finish to prevent rusting
- Contains 9 metric size Hex keys 1.5mm – 10mm



Product Code	Size	Order Qty	Box Qty
OX-P322409	(see above)	1	3



PRO PLUMBERS PROTECTIVE HEAT MAT



FEATURES

- Resists temperatures up to 1000°C
- Sewn and loop stitched with wire reinforced kevlar flame proof thread for extra long life
- Fully flexible foil back allowing freedom of movement
- Asbestos Free

Product Code	Size	Order Qty	Box Qty
OX-P562901	300 x 210mm	1	30

PRO COMBINATION PLIERS – 180MM (7")



FEATURES

- Used for gripping, twisting & cutting
- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty
OX-P321318	180mm / 7"	1	12

PRO LONG NOSE PLIERS – 200MM (8")



FEATURES

- Long nose design
- Used for grasping or bending & cutting
- Induction hardened chrome steel
- Hardened cutting edges

Product Code	Size	Order Qty	Box Qty
OX-P321620	200mm / 8"	1	12

PRO BENT LONG NOSE PLIERS – 200MM (8")



FEATURES

- Induction hardened chrome steel
- Hardened edges

Product Code	Size	Order Qty	Box Qty
OX-P321720	200mm / 8"	1	12



PRO DIAGONAL CUTTING PLIERS – 160MM (6")

FEATURES

- Used for cutting with pivot design
- Induction hardened chrome steel
- Hardened edges



Product Code	Size	Order Qty	Box Qty
OX-P321416	160mm / 6"	1	12

PRO WIRE STRIPPER PLIERS – 160MM (6")

FEATURES

- Used for stripping up to 10 gauge wire
- Easily adjustable
- Induction hardened chrome steel
- Hardened edges



Product Code	Size	Order Qty	Box Qty
OX-P321516	160mm / 6"	1	12

PRO VDE COMBINATION PLIERS – 180MM (7")

FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards



Product Code	Size	Order Qty	Box Qty
OX-P324320	180mm / 7"	1	12

PRO VDE LONG NOSE PLIERS – 200MM (8")

FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards



Product Code	Size	Order Qty	Box Qty
OX-P323820	200mm / 8"	1	12



PRO VDE BENT LONG NOSE PLIERS – 200MM (8")



FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	
OX-P323920	200mm / 8"	1	12	

PRO VDE DIAGONAL CUTTING PLIERS – 160MM (6")



FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	
OX-P324116	160mm / 6"	1	12	

PRO VDE WIRE STRIPPER PLIERS – 160MM (6")



FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	
OX-P324016	160mm / 6"	1	12	

PRO VDE WATERPUMP PLIERS



FEATURES

- Can be used safely when working on live electrical wires at voltage of up to 1000 volts AC
- Manufactured & tested to exacting European Standards

Product Code	Size	Order Qty	Box Qty	
OX-P324224	250mm / 10"	1	12	



TRADE SOLID FORGED SHOVEL RANGE

FEATURES

- All steel construction for increased strength
- Smooth round wood handle for greater comfort
- 'Y' shape handle structure with optimised space to allow for the largest of hands
- Solid forged steel blade with tapered tip
- Powder coated finish to protect from rust
- Longer shovel shaft designed to maximise reach and increase leverage, also decreasing the risk of strain injury
- Heat treated blade for ultimate strength
- Robust lightweight design

Product Code	Type	Order Qty	Box Qty
OX-T280301	Taper Mouth	5	5
OX-T280401	Trenching Shovel	5	5
OX-T280701	Square Mouth	5	5
OX-T280601	Draining Shovel	5	5
OX-T280501	Cable Laying	5	5
OX-T281101	Treaded Digging Shovel	5	5



TRADE SOLID FORGED 4 TINES FORK

FEATURES

- Solid forged 4 tines fork
- All steel construction for increased strength
- Smooth round wood handle for greater comfort
- 'Y' shape handle structure with optimised space to allow for the largest of hands
- Powder coated finish to protect from rust
- Longer shovel shaft designed to maximise reach and increase leverage, also decreasing the risk of strain injury
- Robust lightweight design

Product Code	Size	Order Qty	Box Qty
OX-T281001	-	5	5





PRO INSULATED SHOVEL RANGE



FEATURES

- Conforms to BS8020
- Extra wide D-Grip for greater comfort
- Solid forged steel head for strength and durability

Product Code	Type	Order Qty	Box Qty	
OX-P283001	Taper Mouth	1	1	
OX-P283201	Trenching Shovel	1	1	
OX-P283101	Square Mouth	1	1	
OX-P283301	Cable Laying	1	1	

PRO MINI ROUND POINT SHOVEL



FEATURES

- Compact round point mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	
OX-P283401	-	1	1	

PRO MINI SQUARE MOUTH SHOVEL



FEATURES

- Compact square mouth mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Size	Order Qty	Box Qty	
OX-P283501	-	1	1	



PRO SEALANT GUN – 400ML

FEATURES

- Professional sealant gun with highly durable construction
- Free flowing action and quick release trigger
- Built in nozzle cleaning pin
- Tempered steel rod and plate



Product Code	Size	Order Qty	Box Qty
OX-P041840	400ML	1	24

PRO HEAVY DUTY SEALANT GUN – 400ML

FEATURES

- Heavy duty professional sealant gun, built for ultimate power and durability
- High thrust trigger action with adjustable screw
- Welded and rotating barrel accepts up to 400ml cartridges. Barrel allows rotation to ensure long continuous clean beads with minimal effort
- Ergonomically designed dipped trigger handle, support the hands when applying pressure
- Ideal for outdoor working environments
- Mechanism allows higher force application - ideal for today's 'heavy duty' silicones and sealants
- Fully welded barrel



Product Code	Size	Order Qty	Box Qty
OX-P044440	400ML	1	12





PRO HEAVY DUTY WATER BOTTLE - 15L

FEATURES

- Very heavy duty water supply tank
- Portable water tank for sawing and drilling equipment

Product Code	Size	Order Qty	Box Qty
OX15L	15L	1	6



PRO HEAVY DUTY WATER BOTTLE - 10L

FEATURES

- Very heavy duty water supply tank
- Heavy duty carry handle
- Robust polythene casing
- Protected hose connection, prevents damage or breakage during use
- 4M transparent hose for extra working length
- Strong and stable base protects the bottom of the bottle and gives extra stability in use
- Portable water tank for sawing and drilling equipment

Product Code	Size	Order Qty	Box Qty
OX-P10L	10L	1	1

PRO TOUGH XL WIPES - 80 PACK



FEATURES

- Heavy duty double sided wipes ideal for aggressive cleaning with one side and smooth wiping and soaking up with the other!
- Extra large wipes - 20% better value
- Anti-bacterial - kills 99.99% of germs!
- Added Aloe Vera - keeps skin healthy
- Double sided - abrasive side & smooth side for dual action
- Removes: Oil, Adhesive, Paint, Silicone, Glue, Sealant, Grime, PU Foam, Plaster & Cement

Product Code	Size	Order Qty	Box Qty
OX-P350580	80 pack	12	12



PRO ONE SHOT OIL – 100ML

FEATURES

- Semi synthetic two-stroke oil one shot
- This will meet the lubrication requirements of all modern static two-stroke engines
- Attractive display box packaging to hold 25 pcs

25
BOX



Product Code	Size	Order Qty	Box Qty
OX-P189301	100ML	25	25

TRADE PERMANENT LINE MARKER SPRAY

FEATURES

- Suitable for all road marking systems
- High colour pigment & fast drying

Product Code	Description	Order Qty	Box Qty
OX-T022601	YELLOW	6	6
OX-T022602	BLUE	6	6
OX-T022603	WHITE	6	6
OX-T022604	RED	6	6
OX-T022605	ORANGE	6	6
OX-T022606	GREEN	6	6
OX-T022607	BLACK	6	6



6
BOX

PRO TOUGH BUCKET – 15L

FEATURES

- Extremely durable design
- Manufactured with a high rubber content which allows the material to bend and flex rather than split and crack.
- The toughest bucket you'll ever use
- 15L Capacity
- Easy to clean, maintain and keep hygienic



10
BOX

Product Code	Size	Order Qty	Box Qty
OX-P112315	15L	10	10



TRADE BLACK BUCKET – 15L



10
BOX

FEATURES

- 15 Litre – 3 Gallon capacity
- Black plastic bucket

Product Code	Size	Order Qty	Box Qty	
OX-T110715	15L	10	10	

PRO BUCKET – 15L



10
BOX

FEATURES

- Extremely hardwearing
- 15L Capacity

Product Code	Size	Order Qty	Box Qty	
OX-P110515	15L	10	10	

PRO HEAVY DUTY FLEXI TUB – 20L, 42L, 73L



10
BOX

FEATURES

- Polyethylene flex tub

Product Code	Size	Order Qty	Box Qty	
OX-P110620	20L	10	10	
OX-P110642	42L	10	10	
OX-P110673	73L	5	5	

PRO PLASTERERS BUCKET – 5 GALLON



5
BOX

FEATURES

- 5 Gallon / 25 Litre capacity
- Heavy duty bucket which can be used for mixing plaster
- Strong wire handle and plastic carry grip

Product Code	Size	Order Qty	Box Qty	
OX-P110825	5G / 25L	5	5	



PRO ROUND TOP TOOL BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty
OX-P261747	470 x 280 x 350mm	1	2



PRO SUPER OPEN MOUTH TOOL BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty
OX-P261645	450 x 310 x 260mm	1	2



PRO OPEN TOOL TOTE BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Heavy-duty steel handle with rubber grip
- Waterproof base moulded to fabric

Product Code	Size	Order Qty	Box Qty
OX-P262618	470 x 250 x 360mm	1	4



PRO CONTRACTORS APRON

FEATURES

- Denier fabric – tough construction for extreme durability
- Multiple sized tool compartments and pouches

Product Code	Size	Order Qty	Box Qty
OX-P260801	900 x 710 x 220mm	1	6





TECH CREW T-SHIRT SIZES S - XXL



FEATURES

- Stretch fabric with wicking qualities
- Mesh centre back panel for breathability
- Raglan armhole for greater fit and freedom of movement
- Flatlocked seams for comfort and fit
- Reflective chest print for safety
- 100% Polyester space dyed t-shirt

Product Code	Size	
OX-W552002	Small / Grey	
OX-W552003	Medium / Grey	
OX-W552004	Large / Grey	
OX-W552005	X Large / Grey	
OX-W552006	XX Large / Grey	
OX-W551902	Small / Navy	
OX-W551903	Medium / Navy	
OX-W551904	Large / Navy	
OX-W551905	X Large / Navy	
OX-W551906	XX Large / Navy	

TECH CREW T-SHIRT SIZES S - XXL



FEATURES

- Ribbed collar and cuffs for secure fit
- Stretch fabric with wicking qualities for comfort
- Side vents for ease of movement
- OX branded buttons and badge
- 100% polyester



Product Code	Size	
OX-W552302	Small	
OX-W552303	Medium	
OX-W552304	Large	
OX-W552305	X Large	
OX-W552306	XX Large	



PIQUÉ POLO SHIRT SIZES S - XXL

FEATURES

- Durable & breathable fabric construction piqué polo
- 2x2 ribbed tipped collar and cuffs
- Side vents for ease of movement
- Embroidered OX logo
- 200gsm 60% Cotton 40% Polyester

Product Code	Size	
OX-W553002	Small	
OX-W553003	Medium	
OX-W553004	Large	
OX-W553005	X Large	
OX-W553006	XX Large	



COMFORT FIT



BREATHABLE



CREW NECK T-SHIRT SIZES S - XXL



FEATURES

- Specially designed for the ultimate comfort fit
- Twin needle hem and cuffs
- 1x1 Ribbed collar with grosgrain bound back neck
- OX Tools branded badge at sleeve
- 200gsm 100% Cotton

Product Code	Size	
OX-W550502	Small	
OX-W550503	Medium	
OX-W550504	Large	
OX-W550505	X Large	
OX-W550506	XX Large	



POLO SHIRT SIZES S - XXL



FEATURES

- Piqué fabric construction for strength and quality
- 1x1 Ribbed collar and cuffs
- OX Tools branded buttons and sleeve badge
- Slit hem for ease of movement
- 220gsm 100% Cotton pique

Product Code	Size	
OX-W550602	Small	
OX-W550603	Medium	
OX-W550604	Large	
OX-W550605	X Large	
OX-W550606	XX Large	





SOFTSHELL JACKET SIZES S - XXL

FEATURES

- 3 Layer fabric to keep you comfortable in warm and cool conditions
- OX branded zip pullers for ease of use
- Microfleece backed softshell fabrication
- Easy access chest pocket
- 94% Polyester 6% Elastane for increased comfort fit



BREATHABLE



WATER RESISTANT



THERMAL QUALITIES

Product Code	Size	
OX-W550102	Small	
OX-W550103	Medium	
OX-W550104	Large	
OX-W550105	X Large	
OX-W550106	XX Large	



TECH HOODIE SIZES S - XXL

FEATURES

- 2 Tone technical interlock workwear hoodie
- Bonded chest pocket
- Ribbed cuffs and hem
- OX Tools branded pullers
- OX Tools branded drawcord
- 310gsm 71% Cotton 22% Polyester 7% Elastane



BREATHABLE



THERMAL
QUALITIES



YKK
ZIPS

Product Code	Size	
OX-W551802	Small	
OX-W551803	Medium	
OX-W551804	Large	
OX-W551805	X Large	
OX-W551806	XX Large	



HOODIE SIZES S - XXL

FEATURES

- Faux fur lined hood for extra warmth & protection
- Elasticated cuffs with thumbhole design
- Grosgrain drawcord pullers
- YKK zip for quality and durability
- Raglan armhole for maximum fit and comfort
- Breathable fabric with heat retention properties
- Heavyweight - brushed back fleece for comfort and warmth
- 300gsm 80% Cotton 20% Polyester Mix



BREATHABLE



THERMAL
QUALITIES



YKK
ZIPS

Product Code	Size	
OX-W550402	Small	
OX-W550403	Medium	
OX-W550404	Large	
OX-W550405	X Large	
OX-W550406	XX Large	



ZIP THROUGH HOODIE SIZES S - XXL

FEATURES

- Faux fur lined hood for extra warmth and protection
- YKK zipped pockets for security
- Grosgrain drawcord puller
- OX branded zip pullers for ease of use
- Elasticated cuffs with thumb grips
- 320gsm 80% Cotton 20% Polyester Mix

Product Code	Size	
OX-W552902	Small	
OX-W552903	Medium	
OX-W552904	Large	
OX-W552905	X Large	
OX-W552906	XX Large	



COMFORT FIT



THERMAL QUALITIES



YKK ZIPS





CREW NECK SWEATSHIRT SIZES S - XXL

FEATURES

- Brushed back fleece for extra warmth
- Fabric elbow patches for added protection
- Reflective chest print.
- Telephone pocket with zip
- 2x2 Ribbed collar/cuffs and hem for improved fit
- 320gsm 80% Cotton 20% Polyester Mix



Product Code	Size	
OX-W552802	Small	
OX-W552803	Medium	
OX-W552804	Large	
OX-W552805	X Large	
OX-W552806	XX Large	



COMFORT FIT



THERMAL QUALITIES



RIBBED JACKET SIZES S - XXL



FEATURES

- Specially designed for the ultimate comfort fit
- Water resistant material providing protection against the elements
- Raglan armhole for maximum fit and comfort
- Ribbed panels - for body heat retention
- 100% Polyamide body
- 100% Polyester fill for extra warmth



OX branded zip pullers for ease of use

Product Code	Size	
OX-W550202	Small	
OX-W550203	Medium	
OX-W550204	Large	
OX-W550205	X Large	
OX-W550206	XX Large	

RIBBED GILET SIZES S - XXL



FEATURES

- Specially designed for the ultimate comfort fit
- Water resistant material providing protection against the elements
- Ribbed panels - for body heat retention
- OX branded zip pullers for ease of use
- Headphone eyelet on internal pocket
- 100% Polyamide body
- 100% Polyester fill for extra warmth

Product Code	Size	
OX-W550302	Small	
OX-W550303	Medium	
OX-W550304	Large	
OX-W550305	X Large	
OX-W550306	XX Large	



BREATHABLE



WATER RESISTANT



THERMAL QUALITIES



MULTI POCKET TRADE TROUSERS SIZES 32 - 40"

FEATURES

- Slim fit durable design
- 6 handy storage pockets suitable for storage of small items such as mobile phones/keys
- Mechanical stretch for flexibility and comfort
- Bar tacked reinforcement on stress areas for ultimate durability
- Internal bottom loading knee pad pockets suitable for use with OX trade foam kneepad. (Knee pad not included)
- 245GSM - 65% Polyester, 35% Cotton



Product Code	Size	
OX-W556932	32"	
OX-W556934	34"	
OX-W556936	36"	
OX-W556938	38"	
OX-W556940	40"	

MULTI POCKET TRADE SHORTS SIZES 32 - 40"

FEATURES

- Slim fit durable design
- 6 handy storage pockets suitable for storage of small items such as mobile phones/keys
- Mechanical stretch for flexibility and comfort
- Bar tacked reinforcement on stress areas for ultimate durability
- 245GSM - 65% Polyester, 35% Cotton



Product Code	Size	
OX-W556832	32"	
OX-W556834	34"	
OX-W556836	36"	
OX-W556838	38"	
OX-W556840	40"	



RIPSTOP TROUSERS SIZES 30 - 38"



FEATURES

- Reinforced ripstop anti-tear/anti-rip fabric
- Extra bartacks for strength and durability
- Advanced pocket formation for secure & comfortable tool storage
- Super-lightweight ultra-durable trousers
- Trade foam knee pad available - not included
- 65% Ripstop fabric, 35% Polyester, Cotton 195GSM

Product Code	Size	
OX-W550930	30" / Beige	
OX-W550932	32" / Beige	
OX-W550934	34" / Beige	
OX-W550936	36" / Beige	
OX-W550938	38" / Beige	
OX-W551130	30" / Graphite	
OX-W551132	32" / Graphite	
OX-W551134	34" / Graphite	
OX-W551136	36" / Graphite	
OX-W551138	38" / Graphite	

RIPSTOP SHORTS SIZES 30 - 38"



Product Code	Size	
OX-W551230	30" / Beige	
OX-W551232	32" / Beige	
OX-W551234	34" / Beige	
OX-W551236	36" / Beige	
OX-W551238	38" / Beige	
OX-W551330	30" / Graphite	
OX-W551332	32" / Graphite	
OX-W551334	34" / Graphite	
OX-W551336	36" / Graphite	
OX-W551338	38" / Graphite	



BAR TACK
STITCHING



CORDURA®
FABRIC



TRADE FOAM POCKET KNEE PAD

FEATURES

- Reinforced EVA foam
- Lightweight and hardwearing
- Pocket knee pad for workwear trousers



Product Code	Size	Order Qty	Box Qty
OX-W551601	One size fits all	1	50

JOGGERS SIZES 32 - 40"

FEATURES

- Heavy duty brushed back fleece fabric for warmth and comfort
- Panelled crotch for the ultimate comfort fit & durability
- OX branded zip pullers for ease of use
- Black - 300GSM
- 60% Cotton, 40% Polyester
- Grey - 300GSM - 75% Cotton, 20% Polyester, 5% Viscose



2x2 Ribbed waistband and cuffs for secure fit



Product Code	Size
OX-W550703	32" / Grey
OX-W550704	34" / Grey
OX-W550705	36" / Grey
OX-W550706	38" / Grey
OX-W550707	40" / Grey
OX-W550803	32" / Black
OX-W550804	34" / Black
OX-W550805	36" / Black
OX-W550806	38" / Black
OX-W550807	40" / Black



COMFORT FIT



THERMAL
QUALITIES



WINTER KNITTED BEANIE



- Reflective OX branded badge
- Rubber OX badge on reverse

FEATURES

- Chunky rib knitted outer fabric, one size fits all, 100% acrylic

Product Code	Colour	
OX-W551701	Black	
OX-W551702	Cyan	

HEAVY DUTY WORK SOCKS



FEATURES

- Specifically designed and recommended for STS steel toe cap safety shoes and boots, this pair of men's socks has a hard wearing reinforced heel and toe for durability
- The triple padded toe protects from chafing and blistering by steel toe caps
- With a fully cushioned foot, the cushioned sole of these chunky socks provide comfort against repetitive impact

Product Code	Size	Order Qty	Box Qty
OX-W551001	UK 6-11 (EU 39-45)	1	6

WATERPROOF RAINSUIT



FEATURES

- Durable PVC jacket & over trousers
- Zip fastened jacket, concealed hood, Elasticated inner cuffs, Front pockets, Ventilated back
- Trousers with elasticated waist & stud adjustable ankle width
- Fully taped seams
- Minimal risk only

Product Code	Size	Order Qty	Box Qty
OX-S249702	Black - Medium	1	20
OX-S249703	Black - Large	1	20
OX-S249704	Black - X Large	1	20
OX-S249705	Black - XX Large	1	20
OX-S249802	Yellow - Medium	1	20
OX-S249803	Yellow - Large	1	20
OX-S249804	Yellow - X Large	1	20
OX-S249805	Yellow - XX Large	1	20





PRO ALCOHOL HAND SANITISER GEL

FEATURES

- Kills 99.9% of bacteria
- Fast drying
- No water required
- Does not leave sticky residue
- Available in easy to use squeeze tubes, pump top and 5L refill



Product Code	Size	Order Qty	Box Qty
OX-HSG-100	100ml	1	12
OX-HSGPT-500	500ml	1	12
OX-HSG-5L	5L	1	1





AEROSOL SANITISER DISINFECTANT SPRAY



FEATURES

- Kills 99.9% of bacteria
- Alcohol free which ensures skin does not dry out or become irritated and avoids the risk of flammability.
- Non staining
- Non corrosive
- 500ml Spray bottle
- Easy to use spray nozzle

Product Code	Size	Order Qty	Box Qty
OX-SDS-500	500ml	1	12



TRADE ANTI-BACTERIAL WIPES

FEATURES

- Kills 99.99% of bacteria
- Suitable for use on all skin types
- Soft and moist to be gentle on skin
- Alcohol, paraben and bleach free
- Safe to use around children & food
- 120 Wipes per pack

Product Code	Size	Order Qty	Box Qty
OX-T350712	120 Pack	1	12





STANDARD SAFETY HELMET

FEATURES

- Lightweight helmet designed for general use
- Shell is manufactured from UV stabilized high density Polyethylene
- 6 point adjustable low density Polyethylene harness
- Fully adjustable slip ratchet headband
- Conforms to EN397



White Yellow Blue

Product Code	Colour	Order Qty	Box Qty
OX-S245001	White	1	40
OX-S245002	Yellow	1	40
OX-S245003	Blue	1	40

PREMIUM SAFETY HELMET

FEATURES

- Tough and functional helmet
- Shell is manufactured from UV stabilized high density Polyethylene
- 6 point Terylene harness with slip ratchet adjustment system
- Conforms to EN397



White Yellow Blue Orange Black

Product Code	Colour	Order Qty	Box Qty
OX-S245501	White	1	40
OX-S245502	Yellow	1	40
OX-S245503	Blue	1	40
OX-S245504	Orange	1	40
OX-S245505	Black	1	40



Comfort fit



FOLDING COLLAPSIBLE EAR DEFENDERS



FEATURES



SNR 29dB

- Lightweight, foldable general purpose ear defender
- Large sound absorbing acoustic foam filled cups
- Adjustable cup height is designed for greater versatility
- Conforms to EN352-1:2002

Product Code	Size	Order Qty	Box Qty	
OX-S248930	One size fits all	1	40	

STANDARD EAR DEFENDERS



FEATURES



SNR 25dB

- Lightweight and robust protection
- Multiple position headband
- Large sound absorbing acoustic foam filled cups
- Non magnetic
- Can be worn overhead, behind neck or under chin
- Conforms to EN352-1:2002

Product Code	Size	Order Qty	Box Qty	
OX-S241801	One size fits all	1	12	

PREMIUM EAR DEFENDERS



FEATURES



SNR 25dB

- Both durable and ultra lightweight
- Broad foam cushions
- High impact ABS cups (filled with absorbing foam)
- Padded headband
- Non magnetic
- Can be worn overhead, behind neck or under chin
- Conforms to EN352-1:2002

Product Code	Size	Order Qty	Box Qty	
OX-S241901	One size fits all	1	20	



DISPOSABLE EAR PLUGS

FEATURES

- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum whilst maintaining aural contact
- SNR 34dB
- Conforms to EN352-2:2002



Product Code	Size	Order Qty	Box Qty
OX-S246802	One size fits all	1	10 (200 per box)



SNR 34dB

DISPOSABLE CORDED EAR PLUGS

FEATURES

- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum whilst maintaining aural contact
- Corded to avoid dropping or loss and are visible when in use
- SNR 34dB
- Conforms to EN352-2:2002



Product Code	Size	Order Qty	Box Qty
OX-S246902	One size fits all	1	10 (200 per box)



SNR 34dB



DIRECT VENT SAFETY GOGGLES



FEATURES

- Soft vinyl flanges around the goggles to ensure comfort and conformity to facial contours
- Tough polycarbonate clear UV resistant lens
- Top and side perforations allow optimum air flow
- Direct ventilation through the frame
- Compact lightweight construction
- Can be worn over prescription spectacles
- Conforms to EN166:1B

Product Code	Size	Order Qty	Box Qty
OX-S244601	One size fits all	1	200

INDIRECT VENT SAFETY GOGGLES



FEATURES

- Provides protection from liquid droplets or splashes, and large dust particles
- Tough polycarbonate clear UV resistant lens
- Indirect vents minimise lens misting
- Soft vinyl flanges around the head strap ensure comfort and conformity to facial contours
- Elasticated head strap
- Conforms to EN166:1B.3.4.9



Prevents against liquid splash

Product Code	Size	Order Qty	Box Qty
OX-S244701	One size fits all	1	200

DELUXE ANTI-MIST SAFETY GOGGLES



FEATURES

- Wide angle for improved visibility
- Polycarbonate anti-mist lens
- Wide elastic headband for added comfort
- Integral moulded vent for protection against dust, liquid splashes, moulton metal and hot solid protection
- Conforms to EN 166:1B.3.4.9



High quality

Product Code	Size	Order Qty	Box Qty
OX-S245201	One size fits all	1	10



VISITOR SAFETY SPECTACLES

FEATURES

- A wrap around shield for protection against low energy and high speed impacts
- Wrap around panoramic vision
- Comfortable wide frame and integral brow shield gives improved all round protection
- Ultra light weight these spectacles can be worn over most prescription glasses
- Clear polycarbonate UV resistant construction
- Conforms to EN166:1F



Product Code	Size	Order Qty	Box Qty
OX-S248301	One size fits all	1	100

PROFESSIONAL WRAP AROUND SAFETY GLASSES

FEATURES

- Soft flexible nose pad and rubber temple tips ensure comfortable fit and reduced slippage
- Dual cured lens provide uncompromised wide vision and protection
- Blocks 99.9% of UV radiation
- Conforms to EN166:1F



High quality



Clear Smoked

Product Code	Colour	Order Qty	Box Qty
OX-S248101	Clear	10	200
OX-S248102	Smoked	10	200

SAFETY GLASSES

FEATURES

- Sleek styling and lightweight design
- Padded temples ensure comfortable wear
- Polycarbonate lenses provide protection from impact and block harmful UV rays
- Conforms to EN166:1F
- Available with clear or smoked lenses




Clear Smoked

Product Code	Colour	Order Qty	Box Qty
OX-S241701	Clear	12	300
OX-S241702	Smoked	12	300



TYPE IIR FACE MASK



FEATURES

- Splash resistant protective layer to provide a barrier against fluids
- High bacterial filtration efficiency (BFE) > 98%
- Elastic ear loops allow universal size to fit all face shapes and sizes
- Dimensions : Length - 175 +/- 5 mm, Width (pleated) 90 +/- 5 mm, Width (Total) 170 +/- 5 mm
- Material : 65% Spun bonded non-woven, 35% Melt-blown non-woven, Latex-free, Fibreglass-free
- Product classification: Medical device acc. to MDD 93/42/ EEC
- Applied standards: EN 14683:2019, CE class 1
- 3 Year shelf life
- Document Of Conformity and CE Certification available

Product Code	Pack Qty	Order Qty	Box Qty
OX-TYPEIIR/10	10	1	60

TWIN HALF MASK RESPIRATOR



FEATURES

- A general purpose half mask offering maximum protection and comfort
- Extra wide sealing surface to give unparalleled comfort and fit
- Low resistance exhalation valve
- Wide adjustable elastic strap for a perfect fit
- Low profile angular filter design for minimum visual impairment
- Maintenance free semi disposable mask supplied complete with filter cartridges
- There is no need to keep COSHH records when using this mask
- The mask can be used until the filters expire or up to 28 days whichever occurs first
- Manufactured from hypo-allergenic, odour free, medical grade PVC
- Conforms to EN405



Product Code	Size	Order Qty	Box Qty
OX-S247801	One size fits all	1	10



S450 HALF MASK RESPIRATOR

FEATURES

- Professional twin cartridge half mask
- Unique low resistance exhalation valve for easy breathing
- Durable thermoplastic rubber mask for superior fit to most face shapes for extra comfort
- 4 Point suspension harness with quick release buckles
- Reflective stripes on harness for increased visibility in low light environments
- Conforms to EN140:1998
- Replacement cartridges available to be purchased separately



Product Code	Size	Order Qty	Box Qty
OX-S481901	One size fits all	1	10

TWIN FILTER CARTRIDGES - P2, P3, ABEK1

FEATURES

- 2 Packs of replaceable cartridges for the OX S450 Half Mask
- P2 Dust Cartridges, P3 Dust Cartridges and ABEK1 Gas & Vapour cartridges

Product Code	Type	Order Qty	Box Qty
OX-S482002	P2 Filter	1	10
OX-S482103	P3 Filter	1	10
OX-S483201	ABEK1 Filter	1	10



P2 Filter

P3 Filter

ABEK1 Filter

	P2	P3	ABEK1
	PARTICULATE PROTECTION ONLY		GAS & VAPOUR PROTECTION ONLY
APPLICATIONS	Medium Efficiency Dust	High Efficiency Dust	Low Capacity Gas/Vapour
CONSTRUCTION	Silica		
	Concrete & Stone Cutting		✓
	Plaster		✓
MANUFACTURING	Resins		✓
	Welding Fumes & Lead	✓	✓
WOODS	Woods Hard		✓
	Woods Soft	✓	
HEALTH CARE	Asbestos Removal		✓
	Fibres & Fibre Glass	✓	✓
PAINTING/PAINTS	Water Based	✓	
	Brush - Solvent Based		✓
	Manual Prep	✓	✓
	Powered Prep	✓	✓
HAZARDOUS WASTE	Chemical Paint Stripping		✓
	White Spirit		✓
	Chlorine		✓
HAZARDOUS WASTE	Chlorinated (Weld Killer)	✓	✓
	Brick Acid		✓

*WEL (Workplace exposure Level)
 - This table is for guidance purposes only. A proper risk assessment by qualified personnel should be carried out before selecting an appropriate filter cartridge.



Mask type	Filtration Efficiency	Brick Dust	Concrete	Ferrous Metal Fumes	Fibre Glass	Lead Fumes	MDF Dust	Mineral Fibres	Plaster	Rockwool	Stone	Silica	Softwood Dust	Hardwood Dust
FFP1	78%	✓	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✗
FFP1V	78%	✓	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✓
FFP2	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP2V	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP3V	98%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

S111 FFP1 NR MOULDED CUP RESPIRATOR



FEATURES

- Low breathing resistance with high filtration efficiency
- Adjustable nose piece and inner foam provides custom seal
- Maintenance free
- Conforms to EN149:2001+A1:2009
- Assigned Protection Factor of 4



Product Code	Pack Qty	Order Qty	Box Qty
OX-S240601	20	1	12

S112 FFP1V NR MOULDED CUP RESPIRATOR



FEATURES

- Low breathing resistance with high filtration efficiency
- Adjustable nose piece and inner foam provides custom seal
- Maintenance free
- Exhalation valve helps minimise moisture and heat build up
- Conforms to EN149:2001+A1:2009
- Assigned Protection Factor of 4



Product Code	Pack Qty	Order Qty	Box Qty
OX-S240701	10	1	12



S211 FFP2 NR MOULDED CUP RESPIRATOR

FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- Conforms to EN149:2001 + A1:2009
- Assigned Protection factor of 10



NEW BLISTER PACK
NEW 3 BAG PACK

Product Code	Pack Qty	Order Qty	Box Qty
OX-S240810	20	1	12
OX-S485203	3	1	72
OX-S486703	3	1	10

S212 FFP2V NR MOULDED CUP RESPIRATOR

FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- One way exhalation valve helps minimise moisture and heat build up
- Conforms to EN149:2001 + A1:2009
- Assigned Protection Factor of 10



NEW BLISTER PACK

Product Code	Pack Qty	Order Qty	Box Qty
OX-S240910	10	1	12
OX-S485302	2	1	72

S312 FFP3V NR MOULDED CUP RESPIRATOR

FEATURES

- Exhalation valve for extra comfort
- Low breathing resistance with high filtration efficiency
- Contoured facial seal and fully adjustable head strap
- Maintenance free
- Conforms to EN149:2001 + A1:2009
- Assigned Protection Factor of 20



NEW BLISTER PACK

Product Code	Pack Qty	Order Qty	Box Qty
OX-S241401	5	1	12
OX-S485401	1	1	20



S221 FFP2 NR FOLD FLAT RESPIRATOR



FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Low breathing resistance for increased comfort
- Adjustable nose clip and soft foam nosepiece
- Conforms to EN149:2001+A1:2009
- Assigned protection factor of 10

Product Code	Pack Qty	Order Qty	Box Qty
OX-S246301	50	1	8

S222 FFP2V NR FOLD FLAT RESPIRATOR



FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Low breathing resistance for increased comfort
- One way exhalation valve helps minimise moisture and heat build up
- Adjustable nose clip and soft foam nosepiece
- Conforms to EN149:2001+A1:2009
- Assigned protection factor of 10

Product Code	Pack Qty	Order Qty	Box Qty
OX-S246401	25	1	8

S322 FFP3V NR FOLD FLAT RESPIRATOR



FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Low breathing resistance for increased comfort
- FFP3 Valve & latex free rubber head straps
- Adjustable nose clip and soft foam nosepiece
- Conforms to EN149:2001+A1:2009
- Assigned protection factor of 20

Product Code	Pack Qty	Order Qty	Box Qty
OX-S246501	20	1	8



S212C FFP2VC NR ODOUR MOULDED CUP RESPIRATOR

FEATURES

- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- Conforms to EN149:2001+A1:2009



Product Code	Pack Qty	Order Qty	Box Qty
OX-S486302	2	1	72



DISPOSABLE MASKS (NON TOXIC)

FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- Minimal risk only



Product Code	Pack Qty	Order Qty	Box Qty
OX-S242110	10	1	100





PPE SAFETY KIT



FEATURES

FFP3V Fold Flat Disposable Respirator (x1)

- Conforms to EN149:2001
- Folding design for easy storage
- Smooth lining for comfort and minimum leakage
- Exhalation valve for ease of breathing

Safety Goggles (x1)

- Indirect safety goggles
- Conforms to EN166
- Indirect ventilation for protection against splashes

Corded ear plugs (1 pair)

- Conforms to EN352-2/SNR34dB
- Tapered ends for extra comfort

Latex Grip Gloves (1 pair)

- Seamless Poly-cotton 10 gauge liner
- Open back for ventilation & ergonomic design that reduces hand fatigue
- Conforms to EN388 standards

Product Code	Size	Order Qty	Box Qty
OX-S245305	Poly Bag	1	24

CONTAINS:

FFP2V Fold Flat Disposable Respirator (x1), Safety Goggles (x1), Corded ear plugs (1 pair), Latex Grip Gloves (1 pair)





 4 2 2 1 X Abrasion Cut Tear Puncture Cutting		Abrasion Resistance					Cut Resistance					Tear Resistance					Puncture Resistance					Cutting Resistance (TDM)					Thermal/Cold Resistant					Scaffolding					Joinery					Bricklaying					Painting & Decorating					Inspection					Automotive					Plumbing					Electrics					General Assembly					Welding					Waterproof					Glass & Sheet Metal Handling				
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ	BA	BB	BC	BD																																		
Glove type																																																																																											
Nitrile Disposable OX-S482208 (M) OX-S482209 (L) OX-S482210 (XL)		N/A																																																																																									
Foam Latex - Waterproof OX-S483809 (L) OX-S483810 (XL)		2	1	3	1	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Foam Latex Thermal - Waterproof OX-S483909 (L) OX-S483910 (XL)		3	X	4	3	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Thermal Latex Grip OX-S248609 (L) OX-S248610 (XL)		2	1	3	2	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Latex Flex OX-S484210 (L)		2	1	3	1	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Pro Latex Grip OX-S248909 (L) OX-S248910 (XL)		2	1	4	2	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Latex Grip OX-S241608 (M) OX-S241609 (L) OX-S241610 (XL) OX-S241611 (XXL)		2	1	3	1	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Out C Foam Latex OX-S484009 (L) OX-S484010 (XL)		3	X	4	3	C	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
PU Flex Cut C OX-S249209 (L) OX-S249210 (XL)		4	X	4	3	C	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
PU Flex OX-S241108 (M) OX-S241109 (L) OX-S241110 (XL) OX-S241111 (XXL)		3	1	2	1	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
White PU Flex Decorators OX-S484510 (XL)		4	1	3	1	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
Nitrile Flex OX-S249009 (L) OX-S249010 (XL)		4	1	2	1	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
PVC Knitwrist OX-S245709 (L) OX-S245710 (XL)		3	1	2	1	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓																																											
PVC Gauntlets OX-S246845 (XL)		3	1	2	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																											



FOAM LATEX GLOVES – WATERPROOF



FEATURES

- Fully dipped glove giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, part assembly and general handling
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty
OX-S483809	9 (Large)	1	120
OX-S483810	10 (X Large)	1	120

FOAM LATEX THERMAL GLOVES – WATERPROOF



FEATURES

- Thermal glove for great warmth in cold external conditions, fully dipped giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, parts assembly and general handling
- Conforms to EN388 & EN511



Product Code	Size	Order Qty	Box Qty
OX-S483909	9 (Large)	1	120
OX-S483910	10 (X Large)	1	120





THERMAL GRIP GLOVES

FEATURES

- Features a warm acrylic 10 gauge liner so ideal for working in cold conditions
- Also suitable for more heavy outdoor tasks
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty
OX-S248609	9 (Large)	12	120
OX-S248610	10 (X Large)	12	120



LATEX FLEX GLOVES

FEATURES

- Very lightweight flexible glove, with superior grip for Component handling, general assembly, electronics, light engineering works, joinery, plumbing, automotive and inspection
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty
OX-S484209	9 (Large)	12	120
OX-S484210	10 (X Large)	12	120



PRO LATEX GRIP GLOVES

FEATURES

- 10 Gauge high grade cotton liner
- High quality natural latex coating for long life & excellent grip
- Offers protection against snags, punctures, abrasions & cuts
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty
OX-S246909	9 (Large)	12	120
OX-S246910	10 (X Large)	12	120





LATEX GRIP GLOVES



FEATURES

- Seamless Poly-cotton 10 gauge liner
- Open back for ventilation & ergonomic design that reduces hand fatigue
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty
OX-S241608	8 (Medium)	12	120
OX-S241609	9 (Large)	12	120
OX-S241610	10 (X Large)	12	120
OX-S241611	11 (XX Large)	12	120



EN388



2131X



FOAM LATEX CUT C GLOVES



FEATURES

CUT C PROTECTION

- Cut level C anti-cut, anti-slip, waterproof, ultra comfortable glove for sheet metal handling, glass cutting, sharp small parts handling, general assembly
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty
OX-S484009	9 (Large)	12	120
OX-S484010	10 (X Large)	12	120



EN388



3X43C



PU FLEX CUT C GLOVES



FEATURES

CUT C PROTECTION

- Cut level C
- Combining cut resistance, comfort, dexterity and grip in a seamless PU palm dipped liner
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty
OX-S249209	9 (Large)	12	120
OX-S249210	10 (X Large)	12	120



EN388



4X43C





PU FLEX GLOVES

FEATURES

- Suitable for lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm & finger coating which provides excellent dexterity
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty
OX-S241108	8 (Medium)	12	120
OX-S241109	9 (Large)	12	120
OX-S241110	10 (X Large)	12	120
OX-S241111	11 (XX Large)	12	120



WHITE PU FLEX DECORATORS GLOVES

FEATURES

- Suitable for lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm & finger coating which provides excellent dexterity
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty
OX-S484510	10 (X Large)	12	120





NITRILE FLEX GLOVES



FEATURES

- Nitrile dipped palm designed for extra abrasion resistance
- Oil repellent coating
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	
OX-S249009	9 (Large)	12	120	
OX-S249010	10 (X Large)	12	120	



EN388



4121X



PVC KNITWRIST GLOVES



FEATURES

- Fully coated red PVC cotton glove to protect against oil, grease and most household chemicals
- Resistant to abrasion and tears
- Knitted wristband protects against dust and infiltration
- Conforms to EN388

Product Code	Size	Order Qty	Box Qty	
OX-S245709	9 (Large)	12	120	
OX-S245710	10 (X Large)	12	120	



EN388



3121X





PVC GAUNTLETS

FEATURES

- Fully coated red PVC Gauntlet with soft comfortable cotton lining
- PVC Coating has smooth finish for excellent abrasion resistance
- Longer length (450mm) gives forearm protection
- Conforms to EN388



Product Code	Size	Order Qty	Box Qty
OX-S246845	10 (X Large)	12	12



NITRILE DISPOSABLE GLOVES - 100 PK

FEATURES

- 100 Pack of powder free nitrile disposable gloves
- Ultra strong and flexible nitrile material for extra comfort and long life
- Textured palm for enhanced grip



Product Code	Size	Order Qty	Box Qty
OX-S482208	Medium	1	10
OX-S482209	Large	1	10
OX-S482210	X Large	1	10





PP DISPOSABLE COVERALL



FEATURES

- Single use coverall giving light protection from dirt and grease and dust
- 100% polypropylene
- Non woven coverall c/w elasticated wrists and ankles
- Minimal risk only

Product Code	Size	Order Qty	Box Qty
OX-S243701	S	1	50
OX-S243702	M	1	50
OX-S243703	L	1	50
OX-S243704	XL	1	50
OX-S243705	XXL	1	50
OX-S243706	XXXL	1	50

Sizes:

	Chest girth	Body height
S	84-92cm	164-170cm
M	92-100cm	170-176cm
L	100-108cm	176-182cm
XL	108-116cm	182-188cm
XXL	116-124cm	188-194cm
XXXL	124-132cm	194-200cm

TYPE 5/6 DISPOSABLE COVERALL



FEATURES

- This is a lightweight micro porous coverall
- Elasticated hood, wrists and ankles
- Cost effective barrier to dust and particles and a limited splash and spray barrier
- Conforms to EN 13982 & EN13034

Product Code	Size	Order Qty	Box Qty
OX-S243601	S	1	50
OX-S243602	M	1	50
OX-S243603	L	1	50
OX-S243604	XL	1	50
OX-S243605	XXL	1	50
OX-S243606	XXXL	1	50



HI VISIBILITY VEST

FEATURES

- Made from 100% polyester
- Velcro front fastening and conforming reflective tape
- Conform to EN471 Class 2



Product Code	Size	Order Qty	Box Qty
OX-S242805	Yellow - S	1	100
OX-S242806	Yellow - M	1	100
OX-S242807	Yellow - L	1	100
OX-S242808	Yellow - XL	1	100
OX-S242809	Yellow - XXL	1	100
OX-S242810	Yellow - XXXL	1	100
OX-S242705	Orange - S	1	100
OX-S242706	Orange - M	1	100
OX-S242707	Orange - L	1	100
OX-S242708	Orange - XL	1	100
OX-S242709	Orange - XXL	1	100
OX-S242710	Orange - XXXL	1	100



HEAVY DUTY SOFT GEL KNEE PADS

FEATURES

- Ergonomic shape for stability and comfort for use over long periods
- Anti compression air injected gel and foam EVA core for maximum cushioning
- Perforated neoprene lining to keep away moisture
- One size fits all
- Easy positioning of knee pad



Product Code	Size	Order Qty	Box Qty
OX-S246201	One size fits all	1	24



SAFETY WELLINGTON BOOTS



AVAILABLE IN SIZES 5 - 13



**Steel toe
& midsole**

FEATURES

- Steel toe & midsole
- Fuel oil resistant sole
- Antistatic footwear
- Protection against perforation at least 1100N
- Slip resistance on ceramic/stainless steel floors
- Complies to EN ISO 20345 S5+SRA
- Comes in colour box

Product Code	Size	Order Qty	Box Qty	
OX-S242405	UK 5 (EU 38)	1	5	
OX-S242406	UK 6 (EU 40)	1	5	
OX-S242407	UK 7 (EU 41)	1	5	
OX-S242408	UK 8 (EU 42)	1	5	
OX-S242409	UK 9 (EU 43)	1	5	
OX-S242410	UK 10 (EU 44)	1	5	
OX-S242411	UK 11 (EU 45)	1	5	
OX-S242412	UK 12 (EU 46)	1	5	
OX-S242413	UK 13 (EU 47)	1	5	



HONEY NUBUCK SAFETY BOOTS

FEATURES

- Complies to EN345 SBP FO SRC
- Steel toe and midsole
- Honey nubuck leather upper
- Goodyear welted sole
- Oil resistant sole
- Rugged design
- Comfortable inner sole



AVAILABLE IN SIZES 6 - 13



**Steel toe
& midsole**

Product Code	Size	Order Qty	Box Qty
OX-S242506	UK 6 (EU 40)	1	10
OX-S242507	UK 7 (EU 41)	1	10
OX-S242508	UK 8 (EU 42)	1	10
OX-S242509	UK 9 (EU 43)	1	10
OX-S242510	UK 10 (EU 44)	1	10
OX-S242511	UK 11 (EU 45)	1	10
OX-S242512	UK 12 (EU 46)	1	10
OX-S242513	UK 13 (EU 47)	1	10





World leading technology...



OX has redefined excellence in the world of circular saw blades with the introduction of it's new superfast range.

These revolutionary saw blades have a stronger tooth bond that provides up to 50% longer life. The carbide teeth are made from a tougher than standard carbide that stays sharp longer and are sharpened to finer more durable cutting edges that produce a faster and straighter cut.

Blade cores are made from the highest quality steel, precision engineered, ground and hardened.



Blade selection & presentation



Wood – speed cut/coarse finish

For ripping through softwood, hardwood & plywood.



Wood – cross cut/medium finish

For cutting through softwood, hardwood & plywood.



Wood – fine finish

For cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



Wood – extra fine finish

For very fine finish when cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



Aluminium/Plastic/Laminate – extra fine finish

For cutting non-ferrous metals including aluminium, plastic and wood laminates.



Wood cutting blade

A range of high quality circular saw blades designed for a professional finish and long cutting life.

|| Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson

Reamed bore to ensure precision fit to spindle

Expansion slots



Brazed tungsten tip



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

Safe and secure blister pack

Supplied with reducing rings

Reference chart to show alternative blades available in the same size

Diameter and bore size

Number of teeth

Clear graphics showing blade type and application



Tooth type

Angle of tooth



TCTW

WOOD CUTTING BLADE

Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type
OX-TCTW-1602020	160	20	20	2.6/1.8	ATB
OX-TCTW-1602040	160	20	40	2.6/1.8	ATB
OX-TCTW-1602060	160	20	60	2.6/1.8	ATB
OX-TCTW-1841620	184	16	20	2.8/2.0	ATB
OX-TCTW-1843028	184	30	28	2.8/2.0	ATB
OX-TCTW-1843040	184	30	40	2.8/2.0	ATB
OX-TCTW-1843060	184	30	60	2.8/2.0	ATB
OX-TCTW-1902028	190	20	28	2.8/2.0	ATB
OX-TCTW-1903020	190	30	20	2.8/2.0	ATB
OX-TCTW-1903040	190	30	40	2.8/2.0	ATB
OX-TCTW-1903060	190	30	60	2.8/2.0	ATB
OX-TCTW-2103028	210	30	28	2.8/2.0	ATB
OX-TCTW-2103040	210	30	40	2.8/2.0	ATB
OX-TCTW-2103060	210	30	60	2.8/2.0	ATB
OX-TCTW-2163028	216	30	28	2.8/2.0	ATB
OX-TCTW-2163040	216	30	40	2.8/2.0	ATB
OX-TCTW-2163060	216	30	60	2.8/2.0	ATB
OX-TCTW-2163080	216	30	80	2.8/2.0	ATB
OX-TCTW-2353028	235	30	28	2.8/2.0	ATB
OX-TCTW-2353040	235	30	40	2.8/2.0	ATB
OX-TCTW-2353060	235	30	60	2.8/2.0	ATB
OX-TCTW-2353080	235	30	80	3.0/2.2	ATB
OX-TCTW-2503028	250	30	28	2.8/2.0	ATB
OX-TCTW-2503040	250	30	40	2.8/2.0	ATB
OX-TCTW-2503060	250	30	60	2.8/2.0	ATB
OX-TCTW-2503080	250	30	80	2.8/2.0	ATB
OX-TCTW-2603048	260	30	48	2.8/2.0	ATB
OX-TCTW-2603060	260	30	60	2.8/2.0	ATB
OX-TCTW-3003048	300	30	48	3.0/2.0	ATB
OX-TCTW-3003060	300	30	60	3.0/2.0	ATB
OX-TCTW-3003080	300	30	80	3.0/2.0	ATB
OX-TCTW-3053032	305	30	32	3.0/2.0	ATB
OX-TCTW-3053060	305	30	60	3.0/2.0	ATB
OX-TCTW-3053096	305	30	96	3.0/2.0	ATB



Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish

TCTW-NG WOOD CUTTING BLADE (NEGATIVE RAKE)

Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type
OX-TCTW-NG-2163028	216	30	28	2.8/2.0	ATB
OX-TCTW-NG-2163040	216	30	40	2.8/2.0	ATB
OX-TCTW-NG-2163060	216	30	60	2.8/2.0	ATB
OX-TCTW-NG-2503060	250	30	60	2.8/2.0	ATB
OX-TCTW-NG-2603060	260	30	60	2.8/2.0	ATB
OX-TCTW-NG-3053040	305	30	40	2.8/2.0	ATB
OX-TCTW-NG-3053060	305	30	60	2.8/2.0	ATB
OX-TCTW-NG-30530100	305	30	100	3.0/2.0	TCG



Thin kerf wood cutting blade

Thin kerf blades designed for cordless machines, with anti-kickback for smooth cutting action and safety during use. Also for use on rip saws.

|| Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson

Reamed bore to ensure precision fit to spindle

Expansion slots



Brazed tungsten tip



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

TCTW-TF

THIN KERF WOOD CUTTING BLADE



Product Code	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type
OX-TCTW-TF-1361020	136	10	20	1.5/1.0	ATB
OX-TCTW-TF-1362020	136	20	20	1.5/1.0	ATB
OX-TCTW-TF-1502020	150	20	20	1.5/1.0	ATB
OX-TCTW-TF-1602024	160	20	24	1.6/1.0	ATB
OX-TCTW-TF-1602040	160	20	40	1.6/1.0	ATB
OX-TCTW-TF-1602060	160	20	60	1.6/1.0	ATB
OX-TCTW-TF-1651624	165	16	24	1.6/1.0	ATB
OX-TCTW-TF-1652024	165	20	24	1.6/1.0	ATB
OX-TCTW-TF-1652040	165	20	40	1.6/1.0	ATB
OX-TCTW-TF-1841628	184	16	28	1.6/1.0	ATB
OX-TCTW-TF-1841640	184	16	40	1.6/1.0	ATB
OX-TCTW-TF-1901628	190	16	28	1.6/1.0	ATB
OX-TCTW-TF-1901640	190	16	40	1.6/1.0	ATB

Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish



Alu/Plastic/Laminate cutting blade



Brazed tungsten tip


Negative tooth angle for ultimate quality of cut



Supplied with reducing rings (extra care must be taken when mounting blade to machine when using these)

TCTA THIN KERF ALU/PLASTIC/LAMINATE CUTTING BLADE

Product Code	Dia. (mm)	Bore (mm)	Teeth	Kerf / Plate	Type
OX-TCTA-1842048	184	20	48	2.4/1.8	TCG
OX-TCTA-1903048	190	30	48	2.6/2.0	TCG
OX-TCTA-2103060	210	30	60	2.8/2.2	TCG
OX-TCTA-2163060	216	30	60	2.8/2.2	TCG
OX-TCTA-2163080	216	30	80	2.8/2.2	TCG
OX-TCTA-2503080	250	30	80	2.8/2.2	TCG
OX-TCTA-25030100	250	30	100	2.8/2.2	TCG
OX-TCTA-30030100	300	30	100	3.0/2.4	TCG



Cut Type
Speed Cut/Coarse Finish
Cross Cut/Medium Finish
Fine Finish
Extra Fine Finish




PCD fibre cement cutting blade

With polycrystalline diamond tipped teeth this blade produces faster cutting ability and far longer life when cutting fibre cement board.



PCD ULTIMATE FIBRE CEMENT BLADE




Product Code	Diameter (mm)	Bore (mm)	
OX-PCD-160/20	160	20	
OX-PCD-165/20	165	20	
OX-PCD-190/30	190	30	
OX-PCD-216/30	216	30	
OX-PCD-235/30	235	30	
OX-PCD-250/30	250	30	
OX-PCD-260/30	260	30	
OX-PCD-305/30	305	30	



Metal cutting blade

Professional blade for clean, fast cutting of various metals including steel and stainless steel.



Brazed tungsten tip



Triple Chip (TCG) tooth configuration for the pro tradesperson




Reamed bore to ensure precision fit to the spindle

Anti kick back teeth for greater safety during use

TCTM

METAL BLADE


Product Code	Barcode	Dia (mm)	Bore (mm)	Teeth	Kerf / Plate	Type	
OX-TCTM-3052560	5060359915672	305	25.4	60	2.6/2.0	TCG	
OX-TCTM-3552580	5060359915665	355	25.4	80	2.6/2.0	TCG	





spectrum[®] D I A M O N D

World leading diamond technology...



Only the finest quality of diamond is used in the production of Spectrum products.



State of the art laser technology for ultimate performance and safety.



Blade cores are made of the highest quality steel, precision engineered, ground and hardened.



Material Classes

X-class

UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks

CX-class

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products

CA-class

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles

A-class

ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks

QUALITY **TRADE SERIES**

prefix: D



DX10



DCX



DCA



DA

QUALITY **PRO SERIES**

prefix: M (except TX10R)



TX10R



MCX



MCA




MA

QUALITY **ULTIMATE SERIES**

prefix: Z



ZX10



ZCX



ZCA



ZA



Diamond Blades

STANDARD CGS – GENERAL PURPOSE

Entry level diamond blade for the cost conscious user. General purpose use.

Product Code	Diameter (mm)	Bore (mm)	
CGS-115/22	115	22.2	
CGS-230/22	230	22.2	
CGS-300/20	300	20	

Contractor CGS Diamond Blade Triple Pack 115/22.23mm

Product Code	Diameter (mm)	Bore (mm)	
X3-CGS-115/22	115	22.2	

STANDARD GTT- G P, TURBO & CERAMIC

3 Pack includes General Purpose, Turbo & Ceramic Blades.

Product Code	Diameter (mm)	Bore (mm)	
X3-GTT-115/22	115	22.2	

STANDARD DE10 – GENERAL PURPOSE

Best selling general purpose blade with robust 10mm segment.

Product Code	Diameter (mm)	Bore (mm)	
DE10-105/16	105	16	
DE10-115/22	115	22.2	
DE10-125/22	125	22.2	
DE10-230/22	230	22.2	
DE10-300/20	300	20	

APPLICATIONS: bricks and slabs, concrete paviors, roof tiles, concrete products.

STANDARD DU10 – TURBO GENERAL PURPOSE

Turbo general purpose blade with a 10mm segment for faster cutting and longer life.

Product Code	Diameter (mm)	Bore (mm)	
DU10-115/22	115	22.2	
DU10-230/22	230	22.2	
DU10-300/20	300	20	

APPLICATIONS: : bricks and slabs, concrete paviors, roof tiles, concrete products.



TRADE TC10 – GENERAL PURPOSE

Look no further for extreme value in this price sector with no compromise on performance or safety.

Product Code	Diameter (mm)	Bore (mm)
TC10-115/22	115	22.2
TC10-125/22	125	22.2
TC10-230/22	230	22.2
TC10-300/20	300	20
TC10-350/20	350	20
TC10-350/25	350	25.4



APPLICATIONS: kerbs and slabs, bricks, concrete paviors and blocks, roof tiles and general building materials.

TRADE TC15 – CONCRETE/G. P.

Universal concrete blade with a 15mm segment height. Combining excellent performance in speed of cut and life – this product provides exceptional quality/price ratio.

Product Code	Diameter (mm)	Bore (mm)
TC15-115/22	115	22.2
TC15-230/22	230	22.2
TC15-300/20	300	20



APPLICATIONS: concrete products, roof tiles, blocks, bricks and all general building products.

TRADE DX10 TURBO – UNIVERSAL/HARD

Fast cutting universal blade, with 10mm segment. Features super fast turbo segment and cooling holes.

Product Code	Diameter (mm)	Bore (mm)
DX10-105/16	105	16
DX10-115/22	115	22.2
DX10-125/22	125	22.2
DX10-150/22	150	22.2
DX10-180/22	180	22.2
DX10-230/22	230	22.2
DX10-300/20	300	20
DX10-350/20	350	20
DX10-350/25	350	25.4



CUTS IT ALL – GUARANTEED!

APPLICATIONS: concrete products, clay products, granite, engineering bricks, building products.



TRADE DCX DOUBLE SIX – G. P.

The general purpose blade with a 12mm segment. All round performance.

Product Code	Diameter (mm)	Bore (mm)	
DCX115/22	115	22.2	
DCX125/22	125	22.2	
DCX230/22	230	22.2	
DCX300/20	300	20	
DCX350/20	350	20	
DCX350/25	350	25.4	

APPLICATIONS: building products, general purpose, kerbs and slabs, concrete paviors and blocks, roof tiles.



TRADE DCA – ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment.

Product Code	Diameter (mm)	Bore (mm)	
DCA105/16	105	16	
DCA115/22	115	22.2	
DCA125/22	125	22.2	
DCA150/22	150	22.2	
DCA180/22	180	22.2	
DCA230/22	230	22.2	
DCA300/20	300	20	
DCA350/20	350	20	
DCA350/25	350	25.4	
DCA450/25	450	25.4	

APPLICATIONS: general and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.



TRADE DA – ASPHALT

Asphalt blade with 10mm wedge segment undercut protection.

Product Code	Diameter (mm)	Bore (mm)	
DA300/20	300	20	
DA350/25	350	25.4	

APPLICATIONS: asphalt and extremely abrasive materials, render.



PRO TCX15 – UNIVERSAL

Extreme performance – the revolutionary ‘civils’ blade for endurance and cutting ability.



Product Code	Diameter (mm)	Bore (mm)
TCX15-115/22	115	22.2
TCX15-125/22	125	22.2
TCX15-230/22	230	22.2
TCX15-300/20	300	20

APPLICATIONS: all concrete products and general building materials including bricks, blocks, paviors and concrete roof tiles.

PRO MX10 SUPERFAST – UNIVERSAL/HARD

New technology produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone. Excellent value universal blade.



Product Code	Diameter (mm)	Bore (mm)
MX10-115/22	115	22.2
MX10-125/22	125	22.2
MX10-230/22	230	22.2
MX10-300/20	300	20

APPLICATIONS: hard natural stone, hard concrete, clay products, general building materials.

PRO TX10R SUPERFAST – MULTI-STEEL

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.



Product Code	Diameter (mm)	Bore (mm)
TX10R-105/16	105	16
TX10R-115/22	115	22.2
TX10R-125/22	125	22.2
TX10R-150/22	150	22.2
TX10R-180/22	180	22.2
TX10R-230/22	230	22.2
TX10R-300/20	300	20
TX10R-350/20	350	20
TX10R-350/25	350	25.4

APPLICATIONS: granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials.



PRO MCX SUPERCUT – CONCRETE

Durable 'Cuts it all' general purpose and concrete products blade with 15mm segment and cooling holes.

APPLICATIONS: concrete kerbs and slabs, concrete paviors, roof tiles, bricks, general building materials.

Product Code	Diameter (mm)	Bore (mm)	
MCX115/22	115	22.2	
MCX230/22	230	22.2	
MCX300/20	300	20	
MCX350/20	350	20	
MCX350/25	350	25.4	



PRO MCA ZEBRA – ABRASIVE

High performance dual purpose blade with 10mm segment and wedge undercut protection.

APPLICATIONS: abrasive building materials, concrete products, roof tiles, blocks, floorsaw concrete & dual concrete/asphalt.

Product Code	Diameter (mm)	Bore (mm)	
MCA105/16	105	16	
MCA115/22	115	22.2	
MCA125/22	125	22.2	
MCA150/22	150	22.2	
MCA180/22	180	22.2	
MCA230/22	230	22.2	
MCA300/20	300	20	
MCA350/20	350	20	
MCA350/25	350	25.4	
MCA400/20	400	20	
MCA400/25	400	25.4	
MCA450/25	450	25.4	



PRO MA SHARK – ASPHALT

Undercut protected blade with 10mm segment and wedge undercut protection.

APPLICATIONS: asphalt and extremely abrasive products.

Product Code	Diameter (mm)	Bore (mm)	
MA300/20	300	20	
MA350/20	350	20	
MA350/25	350	25.4	



ULTIMATE ZX10 AUTO – UNIVERSAL/HARD

New Auto-Array technology allows the diamonds to be placed evenly to an exact specification. This produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone.

Product Code	Diameter (mm)	Bore (mm)	
ZX10-350/25/20	350	20/25.4	
ZX10-450/25	450	25.4	
ZX10-500/25	450	25.4	



APPLICATIONS: hard natural stone, hard concrete, clay products & general building materials.products.

ULTIMATE ZCX CYCLONE – CONCRETE

Blade with 10mm segment height. Featuring tear drop gullet design, cooling holes, reinforced centre flange.

Product Code	Diameter (mm)	Bore (mm)	
ZCX230/22	230	22.2	
ZCX300/20	300	20	
ZCX350/25/20	350	25.4/20	



APPLICATIONS: in-situ concrete (including reinforced), concrete products, natural stone, building materials, steel. Ideal 'civils' blade.



ULTIMATE ZCA ZEBRA – ABRASIVE



Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product Code	Diameter (mm)	Bore (mm)	
ZCA115/22	115	22.2	
ZCA125/22	125	22.2	
ZCA230/22	230	22.2	
ZCA300/20	300	20	
ZCA350/20	350	20	
ZCA350/25	350	25.4	
ZCA400/20	400	20	
ZCA400/25	400	25.4	
ZCA450/25	450	25.4	

APPLICATIONS: dual purpose concrete & asphalt, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).

ULTIMATE ZA BLACK SHARK – ASPHALT



Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product Code	Diameter (mm)	Bore (mm)	
ZA230/22	230	22.2	
ZA300/20	300	20	
ZA350/20	350	20	
ZA350/25	350	25.4	
ZA450/25	450	25.4	

APPLICATIONS: asphalt & extremely abrasive products, cement screed, lignacite blocks.



PRO MC – CONCRETE

High quality blade with 10mm segment. Used by professionals.

Product Code	Diameter (mm)	Bore (mm)	
MC350/25	350	25.4	
MC450/25	450	25.4	



APPLICATIONS: in-situ concrete - flint and limestone aggregate, reinforced concrete.

PRO MCA ZEBRA – DUAL PURPOSE

Dual purpose blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product Code	Diameter (mm)	Bore (mm)	
MCA350/25	350	25.4	
MCA400/25	400	25.4	
MCA450/25	450	25.4	



APPLICATIONS: concrete and asphalt, abrasive concrete, concrete paviers.

PRO MA SHARK – ASPHALT

High quality blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product Code	Diameter (mm)	Bore (mm)	
MA350/25	350	25.4	
MA450/25	450	25.4	



APPLICATIONS: hot rolled and footway asphalt, cement screed.



ULTIMATE ZCF CYCLONE – CONCRETE

Extremely high quality blade with 10mm segment. Used by professionals.

Product Code	Diameter (mm)	Bore (mm)	
ZCF350/25	350	25.4	
ZCF450/25	450	25.4	

APPLICATIONS: in-situ concrete - flint and limestone aggregate, reinforced concrete.



ULTIMATE ZCA ZEBRA – DUAL PURPOSE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product Code	Diameter (mm)	Bore (mm)	
ZCA350/25	350	25.4	
ZCA400/25	400	25.4	
ZCA450/25	450	25.4	
ZCA500/25	500	25.4	
ZCA600/25	600	25.4	

APPLICATIONS: concrete and asphalt, abrasive concrete, asphalt over concrete, concrete paviors.




ULTIMATE ZA BLACK SHARK – ASPHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product Code	Diameter (mm)	Bore (mm)	
ZA350/25	350	25.4	
ZA450/25	450	25.4	
ZA500/25	500	25.4	
ZA600/25	600	25.4	

APPLICATIONS: hot rolled and footway asphalt, cement screed, extremely abrasive new green concrete.



ULTIMATE ZRX – ASPHALT OVER CONCRETE

Specialist blade with 10mm segment height. Featuring 'wedge segment' undercut protection and narrow slot.

Product Code	Diameter (mm)	Bore (mm)	
ZRX350/25	350	25.4	
ZRX450/25	450	25.4	

APPLICATIONS: green concrete, asphalt over concrete, dual concrete and asphalt, abrasive materials .



ULTIMATE KRB – KARBITE MULTI-PURPOSE

A saw blade made up of carbide clusters to cut many products from timber to plastic, tree roots to rubber and is not put off by nails or screws. Available in 300 & 350mm for use on hand held disc cutters and 115 & 230mm for angle grinders.



Product Code	Diameter (mm)	Bore (mm)	
KRB-115/22	115	22.2	
KRB-230/22	230	22.2	
KRB-300/20	300	20	
KRB-350/25/20	350	25.4/20	

APPLICATIONS: tree roots & soil, wooden boards & planks, fence panels, railway sleepers, small trees & branches, thin sheet metal, scaffold boards, wooden / plastic pallets, plywood, chipboard, nails & screws, PE & PP plastics, flashing, decking, rubber, abrasive blocks, tar & mastic, flat roofing.
DO NOT USE ON CONCRETE, CERAMICS, MASONRY PRODUCTS OR THICK METAL.

ULTIMATE USB – METAL CUTTING

The new way to cut ALL metals...FAST! Suitable for handsaw.

Product Code	Diameter (mm)	Bore (mm)	
USB-115/22	115	22.2	
USB-230/22	230	22.2	
USB-300/20	300	20	



APPLICATIONS: ductile iron pipe, cast iron, rebar, steel, fibreglass, plastic pipe & concrete.

PRO MCM TURBO – CORDLESS MACHINE

Blade designed for use with cordless machines, where speed, reduced dust and cable free working are required.

Product Code	Diameter (mm)	Bore (mm)	
MCM115/22	115	22.2	



APPLICATIONS: concrete products, clay products, granite, engineering bricks, building products.



Mortar Raking Blades



STANDARD CG6 – MORTAR RAKE

6mm wide segment. Entry level product for the cost conscious user.

Product Code	Diameter (mm)	Bore (mm)	
CG6-115/22	115	22.2	
CG6-125/22	125	22.2	

APPLICATIONS: mortar raking, brick raking, abrasive materials.



TRADE RD6 – MORTAR RAKE

6mm wide segment blade. Fantastic value for money product.

Product Code	Diameter (mm)	Bore (mm)	
RD6-115/22	115	22.2	
RD6-125/22	125	22.2	

APPLICATIONS: mortar raking, brick raking, abrasive materials.



PRO RX6 – MORTAR RAKE

High quality 6mm wide segment blade. The market leader – a great product to use. Fast cut/long life.

Product Code	Diameter (mm)	Bore (mm)	
RX6-115/22	115	22.2	
RX6-125/22	125	22.2	
RX6-180/22	180	22.2	

APPLICATIONS: mortar raking, abrasive materials.



ULTIMATE RZ6 – MORTAR RAKE

Professional 6mm wide segment blade. For the professional user, offers ultimate endurance where life is the greatest issue. With undercut protection.

Product Code	Diameter (mm)	Bore (mm)	
RZ6-115/22	115	22.2	
RZ6-125/22	125	22.2	

APPLICATIONS: mortar raking, abrasive materials.



TRADE SD – CERAMICS

Continuous rim diamond blade for cutting ceramic tiles.
Popular sizes.

Product Code	Diameter (mm)	Bore (mm)	
SD115/22	115	22.2	
SD180/25/22	180	22.2	
SD200/25/22	200	22.2	



APPLICATIONS: ceramic tiles.

PRO SM – CERAMICS

Continuous superior blade for cutting ceramic tiles.
All sizes from 100mm - 230mm.

Product Code	Diameter (mm)	Bore (mm)	
SM100/16	100	16	
SM115/22	115	22.2	
SM125/22	125	22.2	
SM150/25/22	150	25.4/22.2	
SM180/25/22	180	25.4/22.2	
SM200/25/22	200	25.4/22.2	
SM230/25/22	230	25.4/22.2	



APPLICATIONS: ceramic and medium hard natural stone tiles.



ULTIMATE SL-PRO – ALL TILES...GUARANTEED!



Featuring 8mm continuous rim, fine cut, high concentration, s-slot cool cutting, s-detenso silencing. Cuts all tiles – guaranteed!

Product Code	Diameter (mm)	Bore (mm)	
SL080/22/15	80	22.2/15	
SL105/22/16	105	22.2/16	
SL115/22	115	22.2	
SL125/22	125	22.2	
SL150/25/22	150	25.4/22.2	
SL180/25/22	180	25.4/22.2	
SL200/25/22	200	25.4/22.2	
SL230/25/22	230	25.4/22.2	
SL250/25	250	25.4	
SL300/25/20	300	25.4/20	
SL350/25	350	25.4	

APPLICATIONS: ceramic tiles, natural stone, porcelain, granite, marble.

ULTIMATE LST – FINE TURBO PORCELAIN



Super thin turbo with 7mm segment. The finest cut for porcelain.

Product Code	Diameter (mm)	Bore (mm)	
LST115/22	115	22.2	
LST125/22	125	22.2	
LST150/25/22	150	25.4/22.2	
LST180/25/22	180	25.4/22.2	
LST200/25/22	200	25.4/22.2	
LST230/25/22	230	25.4/22.2	
LST250/25	250	25.4	
LST300/25/20	300	25.4/20	
LST350/25	350	25.4	

APPLICATIONS: porcelain, ceramic, natural stone, granite.



PRO TK – TURBO CUP GRINDER

For stock removal, surface grinding and finishing. Universal applications. Transform your 4½" grinder into a handy diamond grinding machine.

Product Code	Diameter (mm)	Bore (mm)	
TK100/22	100	22.2	

APPLICATIONS: concrete and concrete products, natural stone, general building products.



ULTIMATE KDR – DOUBLE CUP GRINDER

Professional double row cup grinder for universal concrete, construction products and stone. Long life.

Product Code	Diameter (mm)	Bore (mm)	
KDR105/22	105	22.2	
KDR115/22	115	22.2	
KDR125/22	125	22.2	
KDR180/22	180	22.2	

APPLICATIONS: concrete, natural stone and construction products.



ULTIMATE PFC – FAN CUP GRINDING DISC

Professional fan cup grinding disc for universal concrete, construction products and stone. Long life.

Product Code	Diameter (mm)	Bore (mm)	
PFC105/22	105	22.2	
PFC115/22	115	22.2	
PFC125/22	125	22.2	
PFC150/19	150	19	

APPLICATIONS: concrete, natural stone and construction products.



ULTIMATE MKT – TURBO CUP GRINDER

Extremely versatile wide turbo design for use with Makita PC1100. Also available in 22mm bore and M14 thread for angle grinders.

Product Code	Diameter (mm)	Bore (mm)	
MKT105/22/15	105	22.2/15	

APPLICATIONS: concrete and natural stone.



ULTIMATE KP – PLANING HEAD

250mm concrete planing heads with universal mounting configuration for most floor planers. Available in 10, 16 and 20 segments.

Product Code	Diameter (mm)	No. of segments	
KP10-250	250	10	
KP16-250	250	16	
KP20-250	250	20	

APPLICATIONS: floor levelling, surface preparation and removal of adhesives, etc.





Dry Core Case



STANDARD CDC5 – DRY CORE CASE

The new CDC5 contractor core case provides exceptional value for money and considerably outperforms other manufacturers 'mainstream' products.

Product Code	Core diameter (mm)	
CDC5	38, 52, 65, 117, 127	

ACCESSORIES: HEX & SDS Adapters and extensions



TRADE MBD (BD CORES) – DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Renowned BD cores and HEX and SDS accessories. For more information on BD range page 94.

Product Code	Core diameter (mm)	
MBD3	38, 52, 117	
MBD5	38, 52, 65, 117, 127	

ACCESSORIES: JX01, JS01, JB05, JB09, JB13, JB26



PRO MS – DRY CORE CASE

Everything you need to get started with dry core drilling in a sturdy, aluminium case.

Product Code	Core diameter (mm)	
MS5	38, 52, 65, 117, 127	
MS3	38, 52, 117	

ACCESSORIES: JX01, JS01, JB05, JB09, JB13, JB26



ULTIMATE MBX5 – DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Revolutionary BX10 long life dry core and HEX and SDS accessories. For more information on BX10 range see page 95.

Product Code	Core diameter (mm)	
MBX5	38, 52, 65, 117, 127	

ACCESSORIES: JX01, JS01, JB05, JB09, JB13, JB26



ADAPTORS – 1/2" BSP (M)

Product Code	Description
JX01	HEX ADAPTOR ONLY
JX31	HEX 250MM LONG ADAPTOR
JS01	SDS (PLUS) ADAPTOR ONLY
JS25	SDS (PLUS) 250MM LONG ADAPTOR
JM01	SDS MAX ADAPTOR ONLY
JBA12	1/2X20 UN(F)-1/2" BSP(M) ADAPTOR
JBA18	M18 X 2.5 (F) TO 1/2 BSP (M) ADAPTOR
JBA58	5/8 X 16UN(F) TO 1/2" BSP(M) ADAPTOR



With 1/2" BSP male fitting to suit BD, BX10 and BLU cores.

ADAPTOR PACKS

Product Code	Description
JX03	HEX ADAPTOR PACK (JX01, JB09, JB05)
JX03-13	HEX A TAPER DRILL ADAPTOR PACK (JX01, JB13, JB05)
JS03	SDS ADAPTOR PACK (JS01, JB09, JB05)
JS03-13	SDS A TAPER DRILL ADAPTOR PACK (JS01, JB13, JB05)
JM03	SDS MAX ADAPTOR PACK (JM01, JB09, JB05)

PILOTS & DRIFTS

Product Code	Description
JB09	12MM GUIDE ROD (X210MM)
JB13	13MM A TAPER DRILL (X210MM)
JB05	DRIFT KEY
JB22	12MM PLASTIC GUIDE FOR 22MM CORE
JB28	12MM PLASTIC GUIDE FOR 28MM CORE



EXTENSIONS

Product Code	Description
JB26	1/2" BSP 250MM SOLID EXTENSION + A TAPER
JB25	1/2" BSP 250MM HOLLOW EXTENSION
JX25	HEX 250MM EXTENSION (C/W ALLEN KEY)
JB04	4MM ALLEN KEY FOR HEX EXT
JB10	10 GRUB SCREWS FOR HEX EXT





TRADE BD – DRY CORE DRILL



Universal dry diamond core drill in all popular plumbers sizes up to 182mm. ½" BSP female thread takes Spectrum dry core accessories. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork.

Product Code	Dia (mm)	Length (mm)	Back End	
BD022-HEX	22	300	HEX	
BD028-HEX	28	300	HEX	
BD032	32	150	½" BSP (F)	
BD038	38	150	½" BSP (F)	
BD048	48	150	½" BSP (F)	
BD052	52	150	½" BSP (F)	
BD065	65	150	½" BSP (F)	
BD078	78	150	½" BSP (F)	
BD091	91	150	½" BSP (F)	
BD102	102	150	½" BSP (F)	
BD107	107	150	½" BSP (F)	
BD117	117	150	½" BSP (F)	
BD127	127	150	½" BSP (F)	
BD142	142	150	½" BSP (F)	
BD152	152	150	½" BSP (F)	
BD162	162	150	½" BSP (F)	
BD172	172	150	½" BSP (F)	
BD182	182	150	½" BSP (F)	

APPLICATIONS: medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products.



ULTIMATE BX10 – DRY DIAMOND CORE

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete.



Product Code	Dia (mm)	Length (mm)	Back End
BX10-022-HEX	22	300	HEX
BX10-022-BSP	22	300	½" BSP (F)
BX10-028-HEX	28	300	HEX
BX10-028-BSP	28	300	½" BSP (F)
BX10-032	32	150	½" BSP (F)
BX10-038	38	150	½" BSP (F)
BX10-048	48	150	½" BSP (F)
BX10-052	52	150	½" BSP (F)
BX10-065	65	150	½" BSP (F)
BX10-078	78	150	½" BSP (F)
BX10-091	91	150	½" BSP (F)
BX10-102	102	150	½" BSP (F)
BX10-107	107	150	½" BSP (F)
BX10-117	117	150	½" BSP (F)
BX10-127	127	150	½" BSP (F)
BX10-142	142	150	½" BSP (F)
BX10-152	152	150	½" BSP (F)
BX10-162	162	150	½" BSP (F)
BX10-172	172	150	½" BSP (F)
BX10-182	182	150	½" BSP (F)
BX10-200	200	150	½" BSP (F)

APPLICATIONS: all bricks, concrete blocks, general building materials, lightly reinforced limestone aggregate concrete, most natural stone.



ULTIMATE BZX ZENITH – DRY CORE DRILL



The fastest core on the market guaranteed, will even drill hard concrete. With laser welded segments for ultimate strength the BZX is an incredibly versatile core, drilling almost anything including engineering and concrete.

Product Code	Dia (mm)	Length (mm)	Back End	
BZX-022	22	300	½" BSP (F)	
BZX-028	28	300	½" BSP (F)	
BZX-032	32	150	½" BSP (F)	
BZX-038	38	150	½" BSP (F)	
BZX-048	48	150	½" BSP (F)	
BZX-052	52	150	½" BSP (F)	
BZX-065	65	150	½" BSP (F)	
BZX-078	78	150	½" BSP (F)	
BZX-091	91	150	½" BSP (F)	
BZX-102	102	150	½" BSP (F)	
BZX-107	107	150	½" BSP (F)	
BZX-117	117	150	½" BSP (F)	
BZX-127	127	150	½" BSP (F)	
BZX-142	142	150	½" BSP (F)	
BZX-152	152	150	½" BSP (F)	
BZX-162	162	150	½" BSP (F)	
BZX-172	172	150	½" BSP (F)	
BZX-182	182	150	½" BSP (F)	

APPLICATIONS: all house bricks, engineering bricks, concrete blocks, general building materials, concrete, natural stone.



TRADE EPX – DIAMOND HOLESAW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck. Recommended for use with water feed and guide.



Product Code	Diameter (mm)	
EPX-06	6	
EPX-08	8	
EPX-10	10	
EPX-15	15	
EPX-20	20	
EPX-25	25	
EPX-30	30	
EPX-35	35	
EPX-40	40	
EPX-45	45	
EPX-50	50	
EPX-55	55	
EPX-60	60	
EPX-65	65	
EPX-70	70	
EPX-75	75	
EPX-80	80	

JP – HOLESAW ACCESSORIES

6 – 80mm suction guide for accurate positioning.

Product Code	Description	
JP76	6-80MM UNIVERSAL SUCTION GUIDE	





PRO XT1 – DIAMOND DRILL



Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection. Quick change 6.3 standard hex shank. Precision drilling. **GUARANTEED TO DRILL ALL TILES, porcelain, ceramics, granite, glass, quarry, everything!**

Product Code	Diameter (mm)	
XT1-05	5	
XT1-06	6	
XT1-07	7	
XT1-08	8	
XT1-10	10	
XT1-12	12	
XT1-15	15	
XT1-20	20	
XT1-25	25	
XT1-30	30	
XT1-35	35	

PRO PTD – DIAMOND DRILL



Drills all tiles including porcelain. Fits almost any drill motor including cordless. Superfast drilling speed. Works without water.

Product Code	Diameter (mm)	
PTD-06	6	
PTD-07	7	
PTD-08	8	
PTD-10	10	
PTD-14	14	
PTD-18	18	
PTD-25	25	
PTD-30	30	
PTD-35	35	



TRADE DIAMOND DRILL - DRY

Super grade diamond for precise fast cutting.
Self lubricating (waxed filled centre).
Improved super-fast drilling speed.
Drills all tiles including porcelain, marble, granite & ceramic.
Works without water.
Universal chuck fitting (including cordless).
Available in 6 sizes: 5.5mm, 6mm, 7mm, 8mm, 10mm, 12mm.



Product Code	Diameter (mm)	
TDD-05	5.5	
TDD-06	6	
TDD-07	7	
TDD-08	8	
TDD-10	10	
TDD-12	12	





ULTIMATE PCX-S – 1/2" BSP WET CORE



Laser welded 'rooftop' segment

Ultimate wet diamond core drill for professional hand held and rig mounted use. 1/2" BSP (male) back end. 300mm drilling length. 10mm segment height. Universal/all concrete.

Product Code	Diameter (mm)	
PCX-S014	14	
PCX-S016	16	
PCX-S018	18	
PCX-S020	20	
PCX-S022	22	
PCX-S024	24	
PCX-S025	25	
PCX-S028	28	
PCX-S030	30	
PCX-S032	32	
PCX-S036	36	
PCX-S040	40	
PCX-S045	45	
PCX-S052	52	

APPLICATIONS: flint and limestone aggregate concrete; reinforced concrete; universal building products.

JN – WET CORE ACCESSORIES

Tough, durable adaptors and extensions for wet core drilling.



Product Code	Description	
JN55	1/2" BSP(M) - 1/2" BSP(M) ADAPTOR	
JN56	1/2" BSP(F) - 1/2" BSP(F) ADAPTOR	
JN65	1/2" BSP(M) - 1 1/4" UNC(M) ADAPTOR	
JN66	1/2" BSP(F) - 1 1/4" UNC(F) ADAPTOR	
JNHAD3	1/2" BSP(F) - HILTI DD100/130 ADAPTOR	
JN25	1/2" BSP 250MM HOLLOW EXTENSION	
JN20	1 1/4" UNC 150MM EXTENSION	
JN30	1 1/4" UNC 250MM EXTENSION	



ULTIMATE PCX-N – 1¼" UNC WET CORE

Ultimate wet diamond core drill for professional rig mounted use. 1¼" UNC (female) back end. 450mm drilling length. 10mm segment height. Universal/all concrete.

Product Code	Diameter (mm)	
PCX-N052	52	
PCX-N056	56	
PCX-N062	62	
PCX-N065	65	
PCX-N072	72	
PCX-N076	76	
PCX-N082	82	
PCX-N087	87	
PCX-N092	92	
PCX-N102	102	
PCX-N107	107	
PCX-N112	112	
PCX-N117	117	
PCX-N122	122	
PCX-N127	127	
PCX-N132	132	
PCX-N142	142	
PCX-N152	152	
PCX-N162	162	
PCX-N172	172	
PCX-N182	182	
PCX-N200	200	
PCX-N225	225	
PCX-N250	250	
PCX-N300	300	



Laser welded
'rooftop' segment

APPLICATIONS: flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.



Diamond Blade Application Chart

RECOMMENDATION GUIDE

For specific advice, refer to your supplier

- ✓✓✓ Highly recommended
- ✓✓ Recommended (not continuous use)
- ✓ Occasional use
- ✗ Not recommended

CONSTRUCTION BLADES

BLADE REFERENCE	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
	Exposed steel, RSJs and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and flint aggregate reinforced concrete, hard, unabrasive concrete products	Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive concrete paviors	Asphalt, green concrete, render, cement screed, lignacite blocks
CGS	✗	✗	✓✓	✓✓✓	✓	✗
DU10	✗	✗	✓✓	✓✓✓	✓	✗
DE10	✗	✗	✓✓	✓✓✓	✓	✗
TC10	✗	✗	✓✓	✓✓✓	✓	✗
TC15	✗	✗	✓✓	✓✓✓	✓	✗
DX10	✓	✓✓✓	✓✓	✓✓✓	✓	✗
DCX	✗	✗	✓✓	✓✓✓	✓	✗
DCA	✗	✗	✓✓	✓✓✓	✓✓✓	✓✓
DA	✗	✗	✗	✗	✓✓	✓✓✓
TX10R	✓✓	✓✓✓	✓✓	✓✓✓	✓	✗
MX10	✗	✓✓✓	✓✓✓	✓✓✓	✓	✗
MCX	✗	✓✓	✓✓✓	✓✓✓	✓	✗
TCX15	✗	✗	✓✓✓	✓✓✓	✓✓✓	✗
MCA	✗	✗	✓✓✓	✓✓✓	✓✓✓	✓
MA	✗	✗	✗	✗	✓	✓✓✓
ZCX	✗	✓✓	✓✓✓	✓✓✓	✓	✗
ZX10	✓	✓✓✓	✓✓✓	✓✓✓	✗	✗
ZCA	✗	✗	✓✓✓	✓✓✓	✓✓✓	✓
ZA	✗	✗	✗	✗	✓✓	✓✓✓
MC	✗	✓	✓✓✓	✓✓	✗	✗
ZCF	✗	✓	✓✓✓	✓✓	✗	✗
ZFX	✗	✗	✗	✓	✓✓✓	✓✓✓
USB	✓✓✓	✓✓	✓	✓✓	✓	✗
MCM	✗	✓✓✓	✓✓	✓✓✓	✓	✗
BLADE REFERENCE	CERAMIC & STONE BLADES					
SL ULTIMATE	Continuous rim; s-slots; GUARANTEED TO CUT ALL TILES					
LST ULTIMATE	Fine turbo rim; porcelain, granite, hard natural stone and ceramics					

Recommendation guide only: for specific advice, please speak to a member of the technical support team.



BECOME AN OX TUFF CLUB MEMBER TODAY...

NEW PRODUCT INFORMATION,
PRODUCT REVIEWS, SPECIAL OFFERS
& DISCOUNTS, COMPETITIONS &
PROMOTIONS, FREEBIES/GIVEAWAYS

SIMPLY SCAN
THE QR OR VISIT
[WWW.OXTOOLS.CO.UK/
TUFF-CLUB](http://WWW.OXTOOLS.CO.UK/TUFF-CLUB)



ARE YOU TUFF ENOUGH?

JOIN THE



FIRST NAME:

LAST NAME:

EMAIL:

MOBILE:

POSTCODE:

TOWN/CITY:

COMPANY NAME:

YOUR MAIN TRADE:

WHERE DO YOU BUY YOUR TOOLS FROM:

- I would like to receive information about OX Tools products and events by email.
- I would like to participate in OX Tuff Club surveys.
- As a serious tradesperson, would you participate in new product trials?



Like us/follow us

OX
UNLEASH THE POWER

oxtool.com

Please post to: OX Group UK, Unit 2 Riverside. Kangley Bridge Road, London SE26 5DA



Contact us



OX Group UK sales:

Telephone: 020 8676 9990
 Fax: 0208 676 7520
 Email: sales.uk@oxtools.com
 Web: oxtools.com

Please ask for details for your area sales manager.

Order Despatch & Delivery

OX Group UK have built up a reputation for excellence in customer service and care, with exceptionally high stock levels and an efficient fulfillment and despatch system. Our policy is 100% fulfillment of customer requirements.

Orders placed by 3.30pm will be despatched on guaranteed next day delivery – free on orders over £100.00 net.
 (Pallet orders to be placed by 1.30pm)

UK Mainland delivery charges:

Next day delivery	orders over £100 net	FREE
Next day delivery	orders £50–£100 net	£4.00
Next day delivery	orders under £50 net	£6.50
AM delivery	additional	£4.50
Before 10.30 delivery	additional	£16.00
Direct deliveries (to your customer)	additional	£6.00

Northern Ireland delivery charges:

24/48 Hour delivery	orders over £175 net	FREE
24/48 Hour delivery	orders £100–£175 net	£5.00
24/48 Hour delivery	orders £50–£100 net	£9.00
24/48 Hour delivery	orders under £50 net	£11.50

EIRE, Channel Islands, Isle of Man & Scottish Islands delivery charges:

48 Hour delivery	orders over £250 net	FREE
48 Hour delivery	orders £100–£250 net	£10.00
48 Hour delivery	orders £50–£100 net	£14.00
48 Hour delivery	orders under £50 net	£16.50

All prices exclude VAT.

Terms & Conditions

The information in this catalogue contains copyrighted material and is for the sole use of OX Tools UK Ltd customers only, and may not be duplicated in any form without consent. Trademarks, including brand names and product names, are included as reference only and are acknowledged to be trademarks or registered trademarks of their respective holders. Although every effort has been made to verify accuracy of information herein, OX Tools UK Ltd's liability for errors/omissions is limited to replacement or credit of items and we cannot be responsible for incidental, indirect or consequential costs incurred unless by contractual agreement or state law. All prices are in GBP (£) and are subject to change. OX Tools UK Ltd reserves the right to limit quantities, adjust pricing, and remove items as availability and/or market conditions deem necessary.

**TOUGH.
DYNAMIC.
DIFFERENT.**

OX[®]
UNLEASH THE POWER



visit oxtools.com for
details of your local
stockist of OX tools



OXBOOK