

Stimulex +

Box Contains
5 x 250g sachets

Complementary feed
for Cattle, Sheep
and Goats



Intended purpose:

Stimulex + Supports physiological digestion. Promoting rumen activity, stimulating rumen flora and fauna, improving feed utilisation and aiding the stabilization of the pH-level of the rumen. e.g. in cases of loss of appetite, disorders of the physiological rumen, change in feed, poor quality feed and in times of stress.

AINIVET LTD.

Veterinary Distributors
Doneraile, Co. Cork

Tel: (022) 24596 Email: ainivet@iol.ie

We Have an Announcement to Make?

Stimulex is Back on The Market

We are happy to announce that Stimulex+ is now back in stock.

Contact Pat Prior for details: 086 260 9617

Order Today: 022-24596 , email: ainivet@iol.ie

With Compliments

AINIVET LTD.
HEALTHY SIGN FOR ANIMALS

Stimulex +

Net quantity per sachet 250 g

Composition:

Potato Starch, Yeast, Whey Powder, Dextrose, Disodium Phosphate.


Analytical Constituents:

Crude Protein 19.3 %, Sodium 12.4 %, DL-Methionin (Amount of moisture <0.3 %) 3.1 %, Crude Ash 2.8 % , Phosphorus 2.2 %, Potassium 1.6 %, L-Lysine 1.1 %, L-Threonine 0.9 %, Crude Fibres 0.8 %, Crude Oils and Fat 0.4 %, Calcium 0.3 % Cystine 0.25 %, Magnesium 0.1 %

Additives per kg:

Vitamins, provitamins and chemically well defined substances having similar effects:

Vitamin A (3a672a)	100,000 IU	Vitamin D3 (E671)	10,000 IU
Trace elements: Cobalt-(II)-sulphate, Heptahydrate(3b305)			10 mg



Target Animals:

Cattle, Sheep, Goats

Instructions for Use Including Feeding Instructions

Dosage & Administration:

If not otherwise advised by your Veterinarian:

Adult Cattle: Add ½ (125g) - 1 sachet (250g) mixed in feed twice daily for 2-4 days.

Young Cattle: Add ¼ (62.5g) - ½ sachet (125g) mixed in feed twice daily for 2-4 days.

Calves: One Rounded table spoonful (15g) in milk daily for a week.

Sheep & Goats: Add 3 heaped table spoonfuls (45g) in their feed twice daily for 2-4 days.

Lambs & Kids: One Rounded tea spoonful (6.5g) in feed twice daily for 4 days. A longer feeding duration is possible if necessary.

Due to its much higher content of vitamin A, D3 and cobalt, the recommended daily allowance of Stimulex + for ruminant animals is 20 % of the daily feed ration.

Storage Instructions

For animal use only. Store in a Cool dry place. Close the open sachet carefully and use this sachet up as soon as possible. Keep out of reach of children.

This is not a veterinary medicine, which is subject to authorisation by the Health Products Regulatory Authority.

Manufactured by:

W.D.T, Siemensstr. 14, 30827 Garbsen, Germany. α-DE-NI-2-00060

Distributed in Ireland:

Ainivet Ltd, Doneraile, Mallow, Co.Cork, Ireland , IEC101577

Tel: +353 (0)22-24596

Email: ainivet@iol.ie



Order Today Call:

Tel: 022 24596

Email: ainivet@iol.ie

 **AINIVET LTD.**
HEALTHY SIGN FOR ANIMAL
Veterinary Distributors