



## **UK Declaration of Performance**

## **EcoTherm Eco-Cavity Full fill**

## 1001.UKDoP.ECFF.001

Unique identification code of the product-type:

Intended use/es:

Manufacturer:

System/s of AVCP:

Designated technical specification:

UK Assessment body/ies:

**Eco-Cavity full fill** 

Thermal insulation for buildings

EcoTherm Insulation (UK) Ltd, Harvey Road, Burnt Mills Ind.Est, Basildon, Essex SS13 1QJ

System 3 System 4 RtF BS-EN 13165:2012+A2:2016

University of Salford: 1145, B.I.T.S: 1334

Essential characteristics		Performance
Thermal resistance	Thermal resistance R <sub>D</sub> ((m².K)/W)	dN 90mm 4.05 dN 115mm 5.20 dN 140mm 6.35
	Thermal conductivity λ <sub>D</sub> (W/(m.K))	dN (90mm- 140mm) 0.022
	Thickness tolerance	T2
Reaction to fire	Reaction to fire	F
Durability of reaction to fire against heat, weathering, ageing / degradation	Durability of the reaction to fire of the product as placed on the market	NPD
	Durability of thermal resistance and thermal conductivity against ageing/ degradation	NPD
Durability of Thermal Resistance against heat, weathering, ageing / degradation	Thermal resistance $R_D$ ((m².K)/W) Thermal conductivity $\lambda D$ (W/(m.K))	Thermal resistance as table above 0.022
	Durability characteristics	NPD
	Dimensional stability under specified temperature and humidity condition	DS(70,90)3 DS(-20,-)1
	Deformation under specified compressive load and temperature conditions	NPD
	Determination of the aged values of thermal resistance and thermal conductivity	λD 0,022 W/m·K



Tensile / Flexural strength T			
Tensile / Flexural strength			
	Tensile strength perpendicular to faces	NPD	
Durability of compressive strength against ageing / degradation	Compressive creep	NPD	
	Short term water absorption	NPD	
	Long term water absorption	NPD	
	Flatness after one sided wetting	NPD	
Water vapour permeability W	Water vapour transmission	NPD	
Acoustic absorption index S	Sound absorption	NPD	
Continuous Glowing combustion G	Glowing combustion	NPD	
Release of dangerous substances to the indoor environment	Release of dangerous substances	NPD	
NPD: No Performance Determined			

Edge profile – Rebated

EU Regulation 305/2011, as retained in UK law, and as amended by SI no. 465/2019 (the Construction Products (Amendment etc.) (EU Exit) Regulations 2019) and SI no. 1359/2020 (the Construction Products (Amendment etc.) (EU Exit) Regulations 2020.)

Signed for and on behalf of the manufacturer by:

Ralph Mannion Managing Director

Selby, England, UK Date signed: 28/06/2021 Issue Number: 001