


















































Leyland[®]
Trade

Truguard

**Product &
Colour Guide**



Exterior masonry & wood

		PACK SIZE	COVERAGE	RECOAT TIME	APPLICATION	VOC CONTENT	
	Smooth Masonry <ul style="list-style-type: none"> Protects against weathering for up to 15 years Suitable for all masonry surfaces Anti-carbonation properties 						
	Pliolite Based Masonry <ul style="list-style-type: none"> Can be applied in temperatures as low as -5°C Resistant to rain within 20 minutes of application Smooth, robust matt finish 						
	Hi-Textured Masonry <ul style="list-style-type: none"> Up to 10 years protection Suitable for all masonry surfaces Robust and durable 						
	Fine Textured Masonry <ul style="list-style-type: none"> Protects against weathering for up to 10 years Suitable for all masonry surfaces Anti-carbonation properties 						
	Stabilising Masonry Primer <ul style="list-style-type: none"> A solution for binding friable, chalky masonry surfaces Use with Truguard masonry coatings Highly penetrative 						
	Flexible Exterior Gloss <ul style="list-style-type: none"> Flexible, durable and water-resisting gloss finish Outperforms conventional gloss by up to 2 years Use with Truguard Flexible Exterior Undercoat 						
	Flexible Exterior Undercoat <ul style="list-style-type: none"> Suitable for timber and metal Use with Truguard Flexible Exterior Gloss 						

Product features key



Water Based



Solvent Based



Available to tint



Brilliant White BS 00 E 55



Gardenia BS 10 B 15



Pearl BS 00 A 01



Mushroom BS 08 B 17

READY MIXED COLOUR COLLECTION

Our range of specially selected colours is perfect for highlighting the natural features of a buildings exterior as well as blending in with the local environment. The performance of Leyland Truguard also means that whatever colour combination you choose it will last for years to come.

Leyland Truguard Smooth Masonry is available in all of the Ready Mixed colours shown.




Cream BS 14 E 53



Dove Grey BS 00 A 05



Kashmir Beige BS 08 B 21



Magnolia



Slate



Quarry Red



County Cream



Peat BS 08 B 29



Black BS 00 E 53

P ALSO AVAILABLE IN PLIOLITE

HAVE A DIFFERENT COLOUR IN MIND?

In addition to Leyland Truguard's ready mixed colour collection there are thousands of tinted colours available at your nearest Stockist. So the beauty of the outside doesn't have to be restricted to shades of nature!

The amazing range of colours available from our colour mixing service means that whatever you pictured for your project, Leyland can make it happen.





For further advice or information please visit
www.leylandtrade.com

Technical Support is available

We have an experienced team who are here to help! They're dedicated to providing you with a high quality, effective service and back up support. So that at every step of the way and whilst building relationships with your customers and clients, we'll help you to differentiate your business.

Find out more about Leyland Trade product options by calling us today on: **01924 354354**



PPG Architectural Coatings UK Limited
Huddersfield Road, Birstall, Batley, West Yorkshire WF17 9XA

We have produced the colours shown in this colour card as accurately as printing will allow. Please ensure that you test a small area before decorating as a colour can appear very different depending on the lighting and surface where it is being used.